



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |        |                  |          | Track Dimensions |        |       | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|--------|------------------|----------|------------------|--------|-------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model  | Comments         | Type     | Dia.             | Length | Pitch | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| AMER.AUGER | THT275 | TRENCHER CHAIN   |          | 1.496            | 8.760  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915067    |
| CASE       | 350    |                  | FLUSH    | 0.993            | 5.220  | 5.875 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915068    |
| CASE       | 400    |                  | FLUSH    | 0.993            | 5.220  | 5.875 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915068    |
| CASE       | 420    |                  | FLUSH    | 0.993            | 5.220  | 5.875 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915068    |
| CASE       | 450    |                  | SALT     | 1.063            | 5.375  | 5.875 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915225    |
| CASE       | 450    |                  | FLUSH    | 1.187            | 5.380  | 5.750 | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915066    |
| CASE       | 500    |                  | FLUSH    | 0.993            | 5.220  | 5.875 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915068    |
| CASE       | 550    | JAK0013968 & DN  | SEALED   | 1.129            | 6.457  | 5.998 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915066    |
| CASE       | 550    |                  | SEALED   | 1.129            | 6.575  | 6.290 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915144    |
| CASE       | 550    |                  | SALT     | 1.129            | 6.575  | 6.290 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915144    |
| CASE       | 560    |                  | FLUSH    | 0.993            | 5.220  | 5.875 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915068    |
| CASE       | 600    |                  | SALT     | 1.063            | 5.375  | 5.875 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915225    |
| CASE       | 650    |                  | SEALED   | 1.318            | 7.224  | 6.734 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915011    |
| CASE       | 650    |                  | SALT     | 1.318            | 7.224  | 6.735 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915158    |
| CASE       | 700    | S/N 7070351 & DN | RECESSED | 1.248            | 6.500  | 6.250 | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915056    |
| CASE       | 750    |                  | RECESSED | 1.375            | 6.940  | 6.250 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915069    |
| CASE       | 800    |                  | RECESSED | 1.248            | 6.500  | 6.250 | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915056    |
| CASE       | 850    |                  | SEALED   | 1.375            | 6.940  | 6.250 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915009    |
| CASE       | 1000   |                  | RECESSED | 1.248            | 6.500  | 6.250 | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915056    |
| CASE       | 1000   | HD               | RECESSED | 1.375            | 6.940  | 6.250 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915069    |
| CASE       | 1000   |                  | SEALED   | 1.375            | 6.940  | 6.250 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915009    |
| CASE       | 1150   |                  | RECESSED | 1.375            | 6.940  | 6.250 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915069    |
| CASE       | 1150   |                  | SEALED   | 1.375            | 6.940  | 6.250 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915011    |
| CASE       | 1450   |                  | SEALED   | 1.752            | 9.075  | 8.020 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915070    |
| CASE       | 1550   |                  | SEALED   | 1.753            | 9.060  | 8.020 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915226    |
| CASE       | 1550   |                  | SALT     | 1.753            | 9.060  | 8.020 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915006    |
| CASE       | 1150B  |                  | SEALED   | 1.500            | 8.100  | 6.678 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915067    |
| CASE       | 1150D  | 7310051 & PRIOR  | SEALED   | 1.440            | 8.110  | 6.678 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CASE       | 1150D  | 7310051 & PRIOR  | SALT     | 1.440            | 8.110  | 6.678 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CASE       | 1150E  |                  | SEALED   | 1.440            | 8.110  | 6.678 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CASE       | 1150E  |                  | SALT     | 1.440            | 8.110  | 6.678 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CASE       | 1155D  | 7311001 & PRIOR  | SEALED   | 1.440            | 8.110  | 6.678 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CASE       | 1155D  | 7311001 & PRIOR  | SALT     | 1.440            | 8.110  | 6.678 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CASE       | 1155E  |                  | SALT     | 1.440            | 8.110  | 6.678 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CASE       | 1155E  |                  | SEALED   | 1.440            | 8.110  | 6.678 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CASE       | 1450B  |                  | SEALED   | 1.752            | 9.075  | 8.020 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915070    |
| CASE       | 1450B  | S/N 8383001 & UP | SEALED   | 1.753            | 9.060  | 8.020 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915226    |
| CASE       | 1450B  |                  | SALT     | 1.753            | 9.060  | 8.020 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915006    |
| CASE       | 1455B  |                  | SEALED   | 1.752            | 9.075  | 8.020 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915070    |
| CASE       | 1455B  | S/N 8480001 & UP | SEALED   | 1.753            | 9.060  | 8.020 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915226    |
| CASE       | 1455B  |                  | SALT     | 1.753            | 9.060  | 8.020 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915006    |
| CASE       | 310G   |                  | FLUSH    | 0.994            | 5.219  | 5.875 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915068    |
| CASE       | 350B   |                  | SEALED   | 0.994            | 5.219  | 5.875 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915224    |
| CASE       | 450A   | S/N 3030801 & UP | SEALED   | 1.250            | 6.540  | 6.000 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915069    |
| CASE       | 450B   |                  | SEALED   | 1.250            | 6.540  | 6.000 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915069    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |       |                  |        | Track Dimensions |        |        | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|-------|------------------|--------|------------------|--------|--------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model | Comments         | Type   | Dia.             | Length | Pitch  | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| CASE       | 450C  |                  | SEALED | 1.129            | 6.457  | 5.998  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915066    |
| CASE       | 450C  |                  | SALT   | 1.129            | 6.460  | 6.000  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915046    |
| CASE       | 455C  |                  | SALT   | 1.129            | 6.460  | 6.000  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915046    |
| CASE       | 550E  |                  | SEALED | 1.129            | 6.575  | 6.290  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915144    |
| CASE       | 550E  |                  | SALT   | 1.129            | 6.575  | 6.290  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915144    |
| CASE       | 550G  | Floating Bushing | SEALED | 1.129            | 6.575  | 6.290  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915144    |
| CASE       | 850B  |                  | SEALED | 1.375            | 6.940  | 6.250  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915009    |
| CASE       | 850D  |                  | SALT   | 1.318            | 7.220  | 6.250  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915011    |
| CASE       | 850D  |                  | SEALED | 1.318            | 7.224  | 6.734  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915011    |
| CASE       | 850D  |                  | SALT   | 1.318            | 7.224  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915158    |
| CASE       | 850D  |                  | SEALED | 1.375            | 6.940  | 6.250  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915011    |
| CASE       | 850E  | AFTER 4-1-89     | SEALED | 1.318            | 7.224  | 6.734  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915011    |
| CASE       | 850E  | AFTER 4-1-89     | SALT   | 1.318            | 7.224  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915158    |
| CASE       | 850G  |                  | SEALED | 1.318            | 7.224  | 6.734  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915011    |
| CASE       | 850G  |                  | SALT   | 1.318            | 7.224  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915158    |
| CASE       | 850H  |                  | SEALED | 1.318            | 7.224  | 6.734  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915011    |
| CASE       | 850H  |                  | SALT   | 1.318            | 7.224  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915158    |
| CASE       | 850K  |                  | SEALED | 1.318            | 7.224  | 6.734  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915011    |
| CASE       | 850K  |                  | SALT   | 1.318            | 7.224  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915158    |
| CASE       | 855D  |                  | SALT   | 1.318            | 7.220  | 6.250  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915011    |
| CASE       | 855D  | AFTER 4-1-89     | SEALED | 1.318            | 7.224  | 6.734  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915011    |
| CASE       | 855D  | AFTER 4-1-89     | SALT   | 1.318            | 7.224  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915158    |
| CASE       | 855D  |                  | SEALED | 1.375            | 6.940  | 6.250  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915011    |
| CAT        | 30    |                  | RECESS | 1.314            | 7.000  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915011    |
| CAT        | 215   | w/ 5/8 BOLT      | SEALED | 1.314            | 7.220  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915011    |
| CAT        | 215   | w/ 9/16 BOLT     | SEALED | 1.315            | 6.370  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915089    |
| CAT        | 219   |                  | SEALED | 1.442            | 8.120  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CAT        | 225   |                  | SEALED | 1.252            | 9.060  | 7.984  | A3537             | A3539        | 30                | 25498          | 50-008-002       | 50-007-005  | 27                | 915003    |
| CAT        | 225   | EXC              | SEALED | 1.314            | 7.220  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915011    |
| CAT        | 225   |                  | SEALED | 1.752            | 9.060  | 7.984  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915003    |
| CAT        | 227   |                  | SEALED | 1.252            | 9.060  | 7.984  | A3537             | A3539        | 30                | 25498          | 50-008-002       | 50-007-005  | 27                | 915003    |
| CAT        | 227   |                  | SEALED | 1.752            | 9.060  | 7.984  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915003    |
| CAT        | 229   |                  | SEALED | 1.252            | 9.060  | 7.984  | A3537             | A3539        | 30                | 25498          | 50-008-002       | 50-007-005  | 27                | 915003    |
| CAT        | 229   |                  | SEALED | 1.752            | 9.060  | 7.984  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915003    |
| CAT        | 235   | EXC              | SEALED | 1.252            | 9.060  | 7.984  | A3537             | A3539        | 30                | 25498          | 50-008-002       | 50-007-005  | 27                | 915003    |
| CAT        | 235   | EXC              | SEALED | 1.752            | 9.060  | 7.984  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915003    |
| CAT        | 235   |                  | SEALED | 1.877            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915012    |
| CAT        | 245   | Berco            | SEALED | 2.004            | 11.437 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                |           |
| CAT        | 245   | EXC              | SEALED | 2.253            | 11.259 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 32                | 915005    |
| CAT        | 308   | Mini EXC         | GREASE | 0.945            | 5.157  | 6.100  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915281    |
| CAT        | 311   | EXC              | SEALED | 1.321            | 7.010  | 6.750  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915059    |
| CAT        | 312   | EXC              | SEALED | 1.321            | 7.010  | 6.750  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915059    |
| CAT        | 315   | EXC              | SEALED | 1.442            | 8.150  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915140    |
| CAT        | 317   | EXC              | SEALED | 1.442            | 8.150  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915140    |
| CAT        | 320   | EXC              | SEALED | 1.442            | 8.150  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915140    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |       |              |        | Track Dimensions |        |        | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|-------|--------------|--------|------------------|--------|--------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model | Comments     | Type   | Dia.             | Length | Pitch  | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| CAT        | 322   | EXC          | SEALED | 1.442            | 8.150  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915140    |
| CAT        | 325   | EXC          | SEALED | 1.654            | 9.055  | 8.000  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-003  | 27                | 915141    |
| CAT        | 329   | EXC          | GREASE | 1.650            | 9.000  | 8.000  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-003  | 27                | 915275    |
| CAT        | 330   | EXC          | SEALED | 1.811            | 9.665  | 8.500  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915015    |
| CAT        | 336   | EXC          | SEALED | 1.750            | 9.625  | 8.500  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915020    |
| CAT        | 345   | EXC          | SEALED | 2.003            | 11.438 | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915142    |
| CAT        | 350   |              | SEALED | 2.003            | 11.438 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915001    |
| CAT        | 365   | EXC          | SEALED | 2.253            | 12.244 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915139    |
| CAT        | 375   | EXC          | SEALED | 2.253            | 12.244 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915139    |
| CAT        | 390   | EXC          | SEALED | 2.165            | 12.402 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 35                | 915284    |
| CAT        | 561   | PIPELAYER    | SEALED | 1.442            | 8.125  | 6.906  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915009    |
| CAT        | 571   |              | SEALED | 1.752            | 9.875  | 7.984  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915012    |
| CAT        | 572   |              | SEALED | 1.752            | 9.875  | 7.984  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915012    |
| CAT        | 572   |              | SEALED | 1.877            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915012    |
| CAT        | 578   |              | PPR    | 1.878            | 9.650  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915207    |
| CAT        | 578   | PIPELAYER    | SALT   | 1.880            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915006    |
| CAT        | 583   |              | SEALED | 1.752            | 11.438 | 7.985  | B3635             | A3540        | 30                | 25548          | 50-008-002       | 50-007-002  | 32                | 915013    |
| CAT        | 589   |              | PPR    | 2.000            | 10.770 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 30                | 915064    |
| CAT        | 589   | PIPELAYER    | SALT   | 2.000            | 11.437 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915093    |
| CAT        | 594   |              | SEALED | 2.252            | 12.250 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915005    |
| CAT        | 931   |              | SALT   | 1.126            | 6.161  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915082    |
| CAT        | 931   |              | SEALED | 1.129            | 6.156  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915004    |
| CAT        | 933   |              | SALT   | 1.126            | 6.161  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915082    |
| CAT        | 933   |              | SEALED | 1.129            | 6.156  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915004    |
| CAT        | 939   |              | SALT   | 1.318            | 7.535  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915149    |
| CAT        | 941   | w/ 9/16 BOLT | SEALED | 1.314            | 7.000  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915002    |
| CAT        | 941   | w/ 5/8 BOLT  | SEALED | 1.314            | 7.220  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915011    |
| CAT        | 941   |              | SALT   | 1.314            | 7.220  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915052    |
| CAT        | 943   | HI RAIL      | SALT   | 1.314            | 7.220  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915052    |
| CAT        | 943   | HI RAIL      | SALT   | 1.315            | 7.220  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915002    |
| CAT        | 951   |              | SALT   | 1.442            | 8.120  | 6.906  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CAT        | 951   |              | SEALED | 1.442            | 8.125  | 6.735  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915009    |
| CAT        | 953   | HYBRID       | SALT   | 1.442            | 8.100  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915278    |
| CAT        | 953   |              | SALT   | 1.442            | 8.120  | 6.906  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CAT        | 953   | HI RAIL      | SALT   | 1.442            | 8.120  | 6.906  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CAT        | 953   | LGP          | SALT   | 1.442            | 8.120  | 6.906  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CAT        | 955   |              | SEALED | 1.252            | 9.060  | 7.984  | A3537             | A3539        | 30                | 25498          | 50-008-002       | 50-007-005  | 27                | 915003    |
| CAT        | 955   | HD           | SEALED | 1.442            | 8.125  | 6.735  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915009    |
| CAT        | 955   |              | SEALED | 1.752            | 9.060  | 7.984  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915003    |
| CAT        | 955   |              | SALT   | 1.753            | 9.060  | 7.980  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915003    |
| CAT        | 963   |              | SALT   | 1.753            | 9.060  | 7.980  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915003    |
| CAT        | 963   | HI RAIL      | SALT   | 1.753            | 9.060  | 7.980  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915003    |
| CAT        | 963   | Berco        | SALT   | 1.753            | 9.060  | 7.980  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915003    |
| CAT        | 973   |              | SALT   | 1.877            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915006    |
| CAT        | 973   | HI RAIL      | SALT   | 1.877            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915006    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |        |              |        | Track Dimensions |        |        | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|--------|--------------|--------|------------------|--------|--------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model  | Comments     | Type   | Dia.             | Length | Pitch  | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| CAT        | 973    | LGP          | SALT   | 1.877            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915006    |
| CAT        | 973    |              | SEALED | 1.877            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915012    |
| CAT        | 973    | HI RAIL      | SALT   | 1.878            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915201    |
| CAT        | 977    |              | SEALED | 1.442            | 8.125  | 6.735  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915009    |
| CAT        | 977    | OPT FORMER   | SEALED | 1.442            | 8.125  | 6.906  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915009    |
| CAT        | 977    |              | SALT   | 1.877            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915006    |
| CAT        | 977    |              | SEALED | 1.877            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915012    |
| CAT        | 983    |              | SALT   | 2.002            | 11.438 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915007    |
| CAT        | 983    |              | SEALED | 2.003            | 11.438 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915001    |
| CAT        | 5080   |              | SEALED | 2.253            | 12.244 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915139    |
| CAT        | 14A    |              | SEALED | 1.752            | 11.438 | 7.985  | B3635             | A3540        | 30                | 25548          | 50-008-002       | 50-007-002  | 32                | 915013    |
| CAT        | 17A    |              | SEALED | 1.752            | 9.875  | 7.984  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915012    |
| CAT        | 215A   |              | SEALED | 1.442            | 8.120  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CAT        | 225B   | EXC          | SEALED | 1.442            | 8.120  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CAT        | 225C   | EXC          | SEALED | 1.442            | 8.120  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CAT        | 231D   |              | SEALED | 1.252            | 9.060  | 7.984  | A3537             | A3539        | 30                | 25498          | 50-008-002       | 50-007-005  | 27                | 915003    |
| CAT        | 231D   |              | SEALED | 1.752            | 9.060  | 7.984  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915003    |
| CAT        | 235-6  | EXC          | SEALED | 1.750            | 9.062  | 8.000  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915237    |
| CAT        | 235D   |              | SEALED | 2.003            | 11.438 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915001    |
| CAT        | 245S   |              | SEALED | 2.003            | 11.438 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915001    |
| CAT        | 299D   | Berco BC2428 | SALT   | 1.036            | 5.795  | 5.510  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915044    |
| CAT        | 307C   |              | GREASE | 0.940            | 5.150  | 6.060  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915169    |
| CAT        | 312C   | EXC          | GREASE | 1.320            | 7.000  | 6.750  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915059    |
| CAT        | 313B   | EXC          | SEALED | 1.321            | 7.010  | 6.750  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915059    |
| CAT        | 314B   | EXC          | SEALED | 1.321            | 7.010  | 6.750  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915059    |
| CAT        | 315B   | EXC          | GREASE | 1.442            | 8.150  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915236    |
| CAT        | 315C   | EXC          | GREASE | 1.442            | 8.150  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915170    |
| CAT        | 315L   | EXC          | GREASE | 1.442            | 8.150  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915003    |
| CAT        | 318C   | EXC          | GREASE | 1.442            | 8.150  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915170    |
| CAT        | 320B   | EXC          | SEALED | 1.442            | 8.150  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915140    |
| CAT        | 320C   | EXC          | GREASE | 1.442            | 8.150  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915170    |
| CAT        | 320D   | EXC          | GREASE | 1.442            | 8.150  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915170    |
| CAT        | 320EL  | EXC          | GREASE | 1.442            | 8.150  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915170    |
| CAT        | 320L   | EXC          | GREASE | 1.442            | 8.150  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915170    |
| CAT        | 322B   | EXC          | GREASE | 1.442            | 8.150  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915236    |
| CAT        | 322C   | EXC          | GREASE | 1.442            | 8.150  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915170    |
| CAT        | 324D   | EXC          | GREASE | 1.442            | 8.150  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915170    |
| CAT        | 325BL  | EXC          | SEALED | 1.654            | 9.055  | 8.000  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-003  | 27                | 915141    |
| CAT        | 325C   | EXC          | GREASE | 1.650            | 9.050  | 7.985  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-003  | 27                | 915141    |
| CAT        | 330B   | EXC          | SEALED | 1.811            | 9.665  | 8.500  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915015    |
| CAT        | 330B   | EXC          | GREASE | 1.811            | 9.665  | 8.500  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915185    |
| CAT        | 330C   | EXC          | SEALED | 1.811            | 9.665  | 8.500  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915015    |
| CAT        | 336EL  | EXC          | GREASE | 1.811            | 9.665  | 8.500  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915015    |
| CAT        | 336NGH | EXC          | SEALED | 1.807            | 8.246  | 8.500  | B3635             | A3540        | 27                | 25551          | 50-008-002       | 50-007-002  | 27                | 915336    |
| CAT        | 345B   |              | SEALED | 1.877            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915012    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |        |                    |          | Track Dimensions |        |        | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|--------|--------------------|----------|------------------|--------|--------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model  | Comments           | Type     | Dia.             | Length | Pitch  | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| CAT        | 345B   | EXC                | SALT     | 1.877            | 9.882  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915200    |
| CAT        | 345BL  | EXC                | SALT     | 1.877            | 9.882  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915200    |
| CAT        | 345CL  |                    | GREASE   | 1.811            | 9.843  | 7.850  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915263    |
| CAT        | 349E   |                    | SALT     | 1.877            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915055    |
| CAT        | 349F   | EXC                | PPR2     | 1.877            | 9.805  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915017    |
| CAT        | 365BL  | EXC                | SEALED   | 2.253            | 12.244 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915139    |
| CAT        | 385B   | EXC                | SEALED   | 2.253            | 13.188 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915168    |
| CAT        | 561H   |                    | SALT     | 1.318            | 7.535  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915149    |
| CAT        | 561H   | HD                 | SALT     | 1.418            | 8.445  | 6.735  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915145    |
| CAT        | 571A   |                    | SEALED   | 1.877            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915012    |
| CAT        | 571A   |                    | SALT     | 1.877            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915006    |
| CAT        | 583R   | PIPELAYER          | SALT     | 1.880            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915006    |
| CAT        | 935B   |                    | SALT     | 1.126            | 6.161  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915082    |
| CAT        | 935B   |                    | SEALED   | 1.129            | 6.156  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915004    |
| CAT        | 935C   |                    | SALT     | 1.126            | 6.161  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915082    |
| CAT        | 951B   |                    | SEALED   | 1.442            | 8.125  | 6.735  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915009    |
| CAT        | 951B   |                    | SEALED   | 1.442            | 8.125  | 6.906  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915009    |
| CAT        | 951C   |                    | SEALED   | 1.442            | 8.125  | 6.906  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915009    |
| CAT        | 953C   |                    | SALT     | 1.442            | 8.120  | 6.906  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915242    |
| CAT        | 953K   | Conventional Track | SALT     | 1.442            | 8.120  | 6.906  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915242    |
| CAT        | 955K   |                    | SEALED   | 1.442            | 8.125  | 6.906  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915009    |
| CAT        | 977K   |                    | SEALED   | 1.752            | 9.875  | 7.984  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915012    |
| CAT        | AP1050 |                    | SEALED   | 1.129            | 6.156  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915004    |
| CAT        | D2     |                    | RECESS   | 1.127            | 6.156  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 916040    |
| CAT        | D2     |                    | SEALED   | 1.125            | 6.180  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915040    |
| CAT        | D3     |                    | SALT     | 1.126            | 6.161  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915082    |
| CAT        | D3     |                    | SEALED   | 1.129            | 6.156  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915004    |
| CAT        | D3B    |                    | SALT     | 1.126            | 6.161  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915082    |
| CAT        | D3B    |                    | SEALED   | 1.129            | 6.156  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915004    |
| CAT        | D3C    |                    | SALT     | 1.126            | 6.161  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915082    |
| CAT        | D3G    |                    | SALT     | 1.126            | 6.161  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915082    |
| CAT        | D3G    |                    | SEALED   | 1.129            | 6.156  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915004    |
| CAT        | D3K    |                    | SALT     | 1.126            | 6.161  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915082    |
| CAT        | D4     |                    | RECESS   | 1.314            | 7.000  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915011    |
| CAT        | D4     |                    | SEALED   | 1.314            | 7.000  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915002    |
| CAT        | D4     | Berco              | UNSEALED | 1.319            | 7.224  | 6.750  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915050    |
| CAT        | D4     | w/ 1/2 BOLT        | SEALED   | 1.314            | 7.000  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915137    |
| CAT        | D4     | w/ 9/16 BOLT       | SEALED   | 1.314            | 7.000  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915137    |
| CAT        | D4     |                    | SALT     | 1.314            | 7.220  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915052    |
| CAT        | D4B    |                    | SALT     | 1.126            | 6.161  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915082    |
| CAT        | D4B    |                    | SEALED   | 1.129            | 6.156  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915004    |
| CAT        | D4C    |                    | SALT     | 1.126            | 6.161  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915082    |
| CAT        | D4C    |                    | SEALED   | 1.129            | 6.156  | 6.125  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915004    |
| CAT        | D4C    | w/ 1/2 BOLT        | SEALED   | 1.314            | 7.000  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915137    |
| CAT        | D4C    | w/ 9/16 BOLT       | SEALED   | 1.314            | 7.000  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915137    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |         |              |        | Track Dimensions |        |       | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|---------|--------------|--------|------------------|--------|-------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model   | Comments     | Type   | Dia.             | Length | Pitch | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| CAT        | D4D     |              | SEALED | 1.314            | 7.000  | 6.735 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915002    |
| CAT        | D4D     |              | SEALED | 1.314            | 7.220  | 6.735 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915011    |
| CAT        | D4D     |              | SALT   | 1.314            | 7.220  | 6.735 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915052    |
| CAT        | D4D     | w/ 1/2 BOLT  | SEALED | 1.314            | 7.000  | 6.735 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915137    |
| CAT        | D4D     | w/ 9/16 BOLT | SEALED | 1.314            | 7.000  | 6.735 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915137    |
| CAT        | D4E     |              | SALT   | 1.314            | 7.220  | 6.735 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915052    |
| CAT        | D4G     |              | SALT   | 1.126            | 6.161  | 6.125 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915082    |
| CAT        | D4G     |              | SEALED | 1.129            | 6.156  | 6.125 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915004    |
| CAT        | D4H     |              | SALT   | 1.315            | 7.220  | 6.735 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915124    |
| CAT        | D4H     | LGP          | PPR    | 1.315            | 7.287  | 6.735 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915247    |
| CAT        | D4H     |              | SALT   | 1.318            | 7.535  | 6.735 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915149    |
| CAT        | D4H     | TSK CUS SKD  | SALT   | 1.318            | 7.535  | 6.735 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915149    |
| CAT        | D4H     | HD           | SALT   | 1.418            | 8.445  | 6.735 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915145    |
| CAT        | D4K     |              | SALT   | 1.126            | 6.161  | 6.125 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915082    |
| CAT        | D4K2    |              | SALT   | 1.130            | 6.144  | 6.250 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915065    |
| CAT        | D5      |              | SALT   | 1.442            | 8.120  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CAT        | D5      | PRO          | SALT   | 1.442            | 8.120  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CAT        | D5      |              | SEALED | 1.442            | 8.125  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915009    |
| CAT        | D5B     |              | SALT   | 1.442            | 8.120  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CAT        | D5B     |              | SEALED | 1.442            | 8.125  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915009    |
| CAT        | D5C     |              | SALT   | 1.318            | 7.535  | 6.735 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915149    |
| CAT        | D5G     |              | SALT   | 1.318            | 7.535  | 6.735 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915149    |
| CAT        | D5G     | XL           | SALT   | 1.318            | 7.535  | 6.735 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915149    |
| CAT        | D5H     |              | SALT   | 1.443            | 8.122  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CAT        | D5H     | TSK CUS SKD  | SALT   | 1.443            | 8.183  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| CAT        | D5H     | HD           | SALT   | 1.495            | 9.392  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915145    |
| CAT        | D5K     |              | SALT   | 1.318            | 7.535  | 6.735 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915149    |
| CAT        | D5M     |              | SALT   | 1.418            | 8.445  | 6.735 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915145    |
| CAT        | D5N     |              | SALT   | 1.418            | 8.445  | 6.735 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915145    |
| CAT        | D6      |              | RECESS | 1.442            | 8.125  | 6.735 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915014    |
| CAT        | D6      |              | SEALED | 1.442            | 8.125  | 6.735 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915009    |
| CAT        | D6      |              | SALT   | 1.752            | 9.060  | 7.985 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915205    |
| CAT        | D6      |              | SALT   | 1.753            | 9.060  | 7.985 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915081    |
| CAT        | D6 / XE | HDXL         | PPR2   | 1.732            | 9.882  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915326    |
| CAT        | D6B     |              | SEALED | 1.442            | 8.125  | 6.735 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915009    |
| CAT        | D6C     |              | SEALED | 1.252            | 9.060  | 7.984 | A3537             | A3539        | 30                | 25498          | 50-008-002       | 50-007-005  | 27                | 915003    |
| CAT        | D6C     |              | SEALED | 1.752            | 9.060  | 7.984 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915003    |
| CAT        | D6C     |              | SALT   | 1.753            | 9.060  | 7.980 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915003    |
| CAT        | D6D     |              | SEALED | 1.252            | 9.060  | 7.984 | A3537             | A3539        | 30                | 25498          | 50-008-002       | 50-007-005  | 27                | 915003    |
| CAT        | D6D     |              | SEALED | 1.752            | 9.060  | 7.984 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915003    |
| CAT        | D6D     |              | SALT   | 1.753            | 9.060  | 7.980 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915003    |
| CAT        | D6E     |              | SALT   | 1.753            | 9.060  | 7.980 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915003    |
| CAT        | D6H     | LGP          | SALT   | 1.753            | 9.060  | 7.985 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915081    |
| CAT        | D6H     |              | SALT   | 1.753            | 9.060  | 7.985 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915081    |
| CAT        | D6H     | LGP          | PPR    | 1.753            | 9.150  | 7.985 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915143    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |             |                       |        | Track Dimensions |        |       | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|-------------|-----------------------|--------|------------------|--------|-------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model       | Comments              | Type   | Dia.             | Length | Pitch | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| CAT        | D6H         | HD                    | SALT   | 1.753            | 10.315 | 8.000 | B3635             | A3540        | 30                | 25548          | 50-008-002       | 50-007-002  | 30                | 915143    |
| CAT        | D6K2        |                       | SALT   | 1.495            | 9.392  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915145    |
| CAT        | D6M         |                       | SALT   | 1.495            | 9.392  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915145    |
| CAT        | D6M         | PPR2                  | SALT   | 1.496            | 8.946  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915335    |
| CAT        | D6N         |                       | SALT   | 1.495            | 9.392  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915145    |
| CAT        | D6N         | PPR2                  | SALT   | 1.496            | 8.946  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915335    |
| CAT        | D6R         |                       | SALT   | 1.753            | 10.315 | 8.000 | B3635             | A3540        | 30                | 25548          | 50-008-002       | 50-007-002  | 30                | 915143    |
| CAT        | D6T         |                       | SALT   | 1.753            | 10.315 | 8.000 | B3635             | A3540        | 30                | 25548          | 50-008-002       | 50-007-002  | 30                | 915143    |
| CAT        | D6T         | PPR2                  | SALT   | 1.753            | 10.315 | 7.984 | B3635             | A3540        | 30                | 25548          | 50-008-002       | 50-007-002  | 30                | 915337    |
| CAT        | D6          | ITR UL202C3F00        | SALT   | 1.754            | 9.063  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915344    |
| CAT        | D7          |                       | RECESS | 1.752            | 9.875  | 7.985 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915012    |
| CAT        | D7          |                       | SEALED | 1.752            | 9.875  | 7.984 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915012    |
| CAT        | D7          | Berco                 | SEALED | 1.756            | 9.902  | 7.984 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                |           |
| CAT        | D7          |                       | SALT   | 1.877            | 9.880  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915006    |
| CAT        | D7C         |                       | SEALED | 1.752            | 9.875  | 7.984 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915012    |
| CAT        | D7D         |                       | RECESS | 1.752            | 9.875  | 7.985 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915012    |
| CAT        | D7D         |                       | SEALED | 1.752            | 9.875  | 7.984 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915012    |
| CAT        | D7E         | 1970's Non Electric   | SEALED | 1.877            | 9.880  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915012    |
| CAT        | D7E         | 1970's Non Electric   | SALT   | 1.877            | 9.880  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915006    |
| CAT        | D7E         | Electric Drive        | SALT   | 1.878            | 10.885 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915150    |
| CAT        | D7E / H / R | HDXL                  | PPR2   | 1.879            | 10.420 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915327    |
| CAT        | D7F         |                       | SEALED | 1.877            | 9.880  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915012    |
| CAT        | D7F         |                       | SALT   | 1.877            | 9.880  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915006    |
| CAT        | D7G         |                       | SEALED | 1.877            | 9.880  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915012    |
| CAT        | D7G         |                       | SALT   | 1.877            | 9.880  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915006    |
| CAT        | D7G         | LGP                   | SALT   | 1.877            | 9.880  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915006    |
| CAT        | D7H         | LGP                   | PPR    | 1.878            | 9.925  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915007    |
| CAT        | D7H         |                       | SALT   | 1.878            | 9.880  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915103    |
| CAT        | D7H         | HD                    | SALT   | 1.878            | 10.875 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915150    |
| CAT        | D7R         |                       | SALT   | 1.878            | 10.875 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915150    |
| CAT        | D8          |                       | RECESS | 1.752            | 11.438 | 7.948 | B3635             | A3540        | 30                | 25548          | 50-008-002       | 50-007-002  | 32                | 915206    |
| CAT        | D8          |                       | SEALED | 1.752            | 11.438 | 7.985 | B3635             | A3540        | 30                | 25548          | 50-008-002       | 50-007-002  | 32                | 915013    |
| CAT        | D8          | TREK TRACK            | SALT   | 1.880            | 9.880  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915006    |
| CAT        | D8          |                       | SALT   | 2.002            | 11.438 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915007    |
| CAT        | D8 HD XL    | Links 502-6149 / 6150 |        | 1.878            | 9.650  | 8.592 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915207    |
| CAT        | D8D         |                       | SEALED | 1.752            | 11.438 | 7.985 | B3635             | A3540        | 30                | 25548          | 50-008-002       | 50-007-002  | 32                | 915013    |
| CAT        | D8E         |                       | SEALED | 1.752            | 11.438 | 7.985 | B3635             | A3540        | 30                | 25548          | 50-008-002       | 50-007-002  | 32                | 915013    |
| CAT        | D8F         |                       | SEALED | 1.752            | 11.438 | 7.985 | B3635             | A3540        | 30                | 25548          | 50-008-002       | 50-007-002  | 32                | 915013    |
| CAT        | D8G         |                       | SEALED | 1.752            | 11.438 | 7.985 | B3635             | A3540        | 30                | 25548          | 50-008-002       | 50-007-002  | 32                | 915013    |
| CAT        | D8H         |                       | SALT   | 2.002            | 11.438 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915007    |
| CAT        | D8H         |                       | SEALED | 2.003            | 11.438 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915001    |
| CAT        | D8H         | ITM                   |        | 2.004            | 11.500 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                |           |
| CAT        | D8K         |                       | SALT   | 2.002            | 11.438 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915007    |
| CAT        | D8K         |                       | SEALED | 2.003            | 11.438 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915001    |
| CAT        | D8L         |                       | SALT   | 1.880            | 9.880  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915006    |

Note: Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |       |                     |          | Track Dimensions |        |        | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|-------|---------------------|----------|------------------|--------|--------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model | Comments            | Type     | Dia.             | Length | Pitch  | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| CAT        | D8N   |                     | PPR      | 1.878            | 9.650  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915207    |
| CAT        | D8N   |                     | SALT     | 1.880            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915006    |
| CAT        | D8R   |                     | PPR      | 1.878            | 9.650  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915207    |
| CAT        | D8R   |                     | SALT     | 1.880            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915006    |
| CAT        | D8T   |                     | PPR      | 1.878            | 9.650  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915207    |
| CAT        | D8T   |                     | SALT     | 1.880            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915006    |
| CAT        | D8XL  |                     |          | 1.878            | 9.650  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915207    |
| CAT        | D9    |                     | SEALED   | 2.002            | 12.000 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 35                | 915208    |
| CAT        | D9    |                     | SALT     | 2.252            | 12.250 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915008    |
| CAT        | D9D   |                     | SEALED   | 2.252            | 12.250 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915005    |
| CAT        | D9E   |                     | SEALED   | 2.252            | 12.250 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915005    |
| CAT        | D9G   |                     | SEALED   | 2.252            | 12.250 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915005    |
| CAT        | D9G   |                     | SALT     | 2.252            | 12.250 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915008    |
| CAT        | D9H   |                     | SEALED   | 2.252            | 12.250 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915005    |
| CAT        | D9H   |                     | SALT     | 2.252            | 12.250 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915008    |
| CAT        | D9L   |                     | PPR      | 2.000            | 10.770 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 30                | 915064    |
| CAT        | D9L   |                     | SALT     | 2.000            | 11.437 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915093    |
| CAT        | D9N   |                     | PPR      | 2.000            | 10.440 | 9.449  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 30                | 915253    |
| CAT        | D9N   |                     | SALT     | 2.003            | 10.980 | 9.450  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 30                | 915092    |
| CAT        | D9R   |                     | PPR      | 2.000            | 10.440 | 9.449  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 30                | 915253    |
| CAT        | D9R   |                     | SALT     | 2.003            | 10.980 | 9.450  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 30                | 915092    |
| CAT        | D9T   |                     | PPR      | 2.000            | 10.440 | 9.449  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 30                | 915253    |
| CAT        | D9T   | Berco BPR2 (CR7611) | SALT     | 2.000            | 11.260 | 9.449  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915253    |
| CAT        | D9T   |                     | SALT     | 2.003            | 10.980 | 9.450  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 30                | 915092    |
| CAT        | D10   |                     | PPR      | 2.252            | 11.974 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915240    |
| CAT        | D10   |                     | SALT     | 2.253            | 12.250 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915063    |
| CAT        | D10N  |                     | PPR      | 2.253            | 11.970 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915246    |
| CAT        | D10N  | ITM                 | PPR      | 2.250            | 11.968 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915351    |
| CAT        | D10N  |                     | SALT     | 2.253            | 12.250 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915104    |
| CAT        | D10R  |                     | PPR      | 2.253            | 11.970 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915246    |
| CAT        | D10R  |                     | SALT     | 2.253            | 12.250 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915104    |
| CAT        | D10T  |                     | SALT     | 2.253            | 12.250 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-2    | 35                | 915104    |
| CAT        | D11   |                     | SALT     | 2.626            | 13.810 | 12.500 | B3631/2           | A3541-001    | 35                | 25553          | 50-020           | 50-021-3    | 35                | 915202    |
| CAT        | D11N  |                     | PPR      | 2.626            | 13.812 | 12.500 | B3631/2           | A3541-001    | 35                | 25553          | 50-020           | 50-021-3    | 35                | 915203    |
| CAT        | D11R  | ITR Snap Ring       | IPR      | 2.626            | 13.812 | 12.500 | B3631/2           | A3541-001    | 35                | 25553          | 50-020           | 50-021-3    | 35                | 915203ITM |
| CAT        | D11R  |                     | PPR      | 2.626            | 13.812 | 12.500 | B3631/2           | A3541-001    | 35                | 25553          | 50-020           | 50-021-3    | 35                | 915203    |
| CAT        | D11T  |                     | PPR      | 2.626            | 13.812 | 12.500 | B3631/2           | A3541-001    | 35                | 25553          | 50-020           | 50-021-3    | 35                | 915203    |
| CAT        | E110B |                     | SEALED   | 1.319            | 7.008  | 6.750  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915059    |
| CAT        | E120B |                     | SEALED   | 1.319            | 7.008  | 6.750  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915059    |
| CAT        | E180  |                     | SEALED   | 1.439            | 8.126  | 6.906  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915128    |
| CAT        | E200B |                     | SEALED   | 1.445            | 8.150  | 7.500  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915133    |
| CAT        | E240  |                     | SEALED   | 1.445            | 8.150  | 7.500  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915133    |
| CAT        | E300B |                     | SEALED   | 1.750            | 9.646  | 8.000  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915121    |
| CAT        | E450  |                     | UNSEALED | 1.873            | 10.000 | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915038    |
| CAT        | E70   |                     | SEALED   | 0.945            | 5.512  | 5.315  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915129    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |             |          |          | Track Dimensions |        |       | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|-------------|----------|----------|------------------|--------|-------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model       | Comments | Type     | Dia.             | Length | Pitch | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| CAT        | E70B        |          | SEALED   | 0.945            | 5.512  | 5.315 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915129    |
| CAT        | EL180       |          | SEALED   | 1.439            | 8.126  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915128    |
| CAT        | EL200B      |          | SEALED   | 1.445            | 8.150  | 7.500 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915133    |
| CAT        | EL240       |          | SEALED   | 1.445            | 8.150  | 7.500 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915133    |
| CAT        | EL300A      |          | SEALED   | 1.750            | 9.646  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915121    |
| CAT        | EL300B      |          | SEALED   | 1.750            | 9.646  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915121    |
| CAT        | EL300B      |          | SEALED   | 1.750            | 9.646  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915038    |
| CAT        | FB227       |          | SEALED   | 1.252            | 9.060  | 7.984 | A3537             | A3539        | 30                | 25498          | 50-008-002       | 50-007-005  | 27                | 915003    |
| CAT        | FB227       |          | SEALED   | 1.752            | 9.060  | 7.984 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915003    |
| CAT        | MHI 180-8   |          | SEALED   | 1.439            | 8.126  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915128    |
| CAT        | MHI 180-8LC |          | SEALED   | 1.439            | 8.126  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915128    |
| CAT        | MHI 300LC-8 |          | SEALED   | 1.750            | 9.646  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915121    |
| CAT        | PR450       |          | SEALED   | 1.129            | 6.156  | 6.125 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915004    |
| CAT        | R2-15-22    |          | RECESS   | 1.127            | 6.156  | 6.125 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 916040    |
| CAT        | R4          |          | RECESS   | 1.314            | 7.000  | 6.735 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915011    |
| CAT        | SF350       |          | SEALED   | 1.129            | 6.156  | 6.125 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915004    |
| CAT        | TR225       |          | SEALED   | 1.129            | 6.156  | 6.125 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915004    |
| DRESSER    | 150         |          | SEALED   | 1.375            | 6.690  | 6.490 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915048    |
| DRESSER    | 175         |          | SEALED   | 1.625            | 7.870  | 6.992 | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-003  | 27                | 915041    |
| DRESSER    | 500         |          | RECESSED | 1.125            | 5.360  | 6.000 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915044    |
| DRESSER    | 100B        |          | SEALED   | 1.250            | 5.970  | 6.000 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915034    |
| DRESSER    | 100C        |          | SEALED   | 1.250            | 6.500  | 5.998 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915040    |
| DRESSER    | 100E        |          | SEALED   | 1.250            | 6.500  | 5.990 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915100    |
| DRESSER    | 100G        |          | SALT     | 1.312            | 6.690  | 6.490 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915133    |
| DRESSER    | 125C        |          | SEALED   | 1.375            | 6.690  | 6.490 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915048    |
| DRESSER    | 125E        |          | SEALED   | 1.375            | 6.690  | 6.490 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915048    |
| DRESSER    | 125G        |          | UNSEALED | 1.312            | 6.690  | 6.490 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915213    |
| DRESSER    | 125G        |          | SEALED   | 1.312            | 6.690  | 6.490 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915040    |
| DRESSER    | 125G        |          | SALT     | 1.312            | 6.690  | 6.490 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915133    |
| DRESSER    | 175B        |          | SEALED   | 1.625            | 7.870  | 6.992 | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-003  | 27                | 915041    |
| DRESSER    | 175B        |          | SEALED   | 1.750            | 8.810  | 7.500 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915036    |
| DRESSER    | 175C        |          | SEALED   | 1.750            | 8.810  | 7.500 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915036    |
| DRESSER    | 250B        |          | SEALED   | 1.750            | 9.310  | 7.500 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915036    |
| DRESSER    | 250C        |          | SEALED   | 1.750            | 9.310  | 7.500 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915036    |
| DRESSER    | 500E        |          | UNSEALED | 1.125            | 5.300  | 5.990 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915209    |
| DRESSER    | D32         |          | SALT     | 1.312            | 6.690  | 6.490 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915133    |
| DRESSER    | D32E        |          | SEALED   | 1.250            | 6.500  | 5.998 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915040    |
| DRESSER    | D32E        |          | SALT     | 1.312            | 6.690  | 6.490 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915133    |
| DRESSER    | D32P        |          | SEALED   | 1.250            | 6.500  | 5.998 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915040    |
| DRESSER    | D32-P1      |          | SALT     | 1.312            | 6.690  | 6.490 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915133    |
| DRESSER    | D38E        |          | SALT     | 1.312            | 6.690  | 6.490 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915133    |
| DRESSER    | D38P-1      |          | SALT     | 1.312            | 6.690  | 6.490 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915133    |
| DRESSER    | D39         |          | SALT     | 1.312            | 6.690  | 6.490 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915133    |
| DRESSER    | D39E        |          | SALT     | 1.312            | 6.690  | 6.490 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915133    |
| DRESSER    | D87E-2      |          | SALT     | 1.874            | 10.430 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915077    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |          |          |          | Track Dimensions |        |       | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|----------|----------|----------|------------------|--------|-------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model    | Comments | Type     | Dia.             | Length | Pitch | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| DRESSER    | D87P     |          | SALT     | 1.874            | 10.430 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915077    |
| DRESSER    | T340     |          | FLUSH    | 1.010            | 4.750  | 6.000 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915028    |
| DRESSER    | T5       |          | FLUSH    | 1.010            | 4.750  | 6.000 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915028    |
| DRESSER    | T6       |          | SEALED   | 1.250            | 5.970  | 6.000 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915034    |
| DRESSER    | T7       |          | SEALED   | 1.250            | 6.500  | 5.998 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915040    |
| DRESSER    | TD12     |          | SALT     | 1.500            | 8.030  | 7.490 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915095    |
| DRESSER    | TD12     |          | SEALED   | 1.750            | 8.030  | 7.490 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915095    |
| DRESSER    | TD12A    |          | UNSEALED | 1.500            | 8.030  | 7.490 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915210    |
| DRESSER    | TD12B    |          | UNSEALED | 1.500            | 8.030  | 7.490 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915210    |
| DRESSER    | TD12C    |          | UNSEALED | 1.625            | 8.810  | 7.490 | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-003  | 27                | 915211    |
| DRESSER    | TD12C-XP |          | SEALED   | 1.629            | 8.820  | 7.490 | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-003  | 27                | 915083    |
| DRESSER    | TD14     |          | SEALED   | 1.625            | 7.870  | 6.992 | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-003  | 27                | 915041    |
| DRESSER    | TD15     |          | SEALED   | 1.625            | 7.870  | 6.992 | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-003  | 27                | 915041    |
| DRESSER    | TD15B    |          | SEALED   | 1.625            | 7.870  | 6.992 | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-003  | 27                | 915041    |
| DRESSER    | TD15B    |          | SEALED   | 1.750            | 8.810  | 7.500 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915036    |
| DRESSER    | TD15C    |          | SALT     | 1.625            | 8.810  | 7.490 | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-003  | 27                | 915021    |
| DRESSER    | TD15C    | LGP      | SALT     | 1.625            | 8.810  | 7.490 | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-003  | 27                | 915021    |
| DRESSER    | TD15C    | SPLIT    | UNSEALED | 1.625            | 8.810  | 7.490 | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-003  | 27                | 915211    |
| DRESSER    | TD15C    | SPLIT    | SEALED   | 1.625            | 8.810  | 7.490 | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-003  | 27                | 915021    |
| DRESSER    | TD15C    |          | SEALED   | 1.750            | 8.810  | 7.500 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915036    |
| DRESSER    | TD15E    |          | SEALED   | 1.750            | 8.810  | 7.980 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915108    |
| DRESSER    | TD15E    |          | SALT     | 1.750            | 8.810  | 7.980 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915109    |
| DRESSER    | TD15E    | LGP      | SALT     | 1.750            | 8.810  | 7.980 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915109    |
| DRESSER    | TD20B    |          | SEALED   | 1.750            | 9.310  | 7.500 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915036    |
| DRESSER    | TD20C    |          | SEALED   | 1.750            | 9.310  | 7.500 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915036    |
| DRESSER    | TD20C    |          | SEALED   | 1.875            | 9.310  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 27                | 915035    |
| DRESSER    | TD20E    |          | UNSEALED | 1.874            | 10.430 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915212    |
| DRESSER    | TD20E    |          | SALT     | 1.874            | 10.430 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915077    |
| DRESSER    | TD20E    | SPLIT    | SEALED   | 1.875            | 10.430 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915077    |
| DRESSER    | TD20E    |          | SEALED   | 1.875            | 10.440 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915038    |
| DRESSER    | TD20G    |          | UNSEALED | 1.874            | 10.430 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915212    |
| DRESSER    | TD20G    |          | SALT     | 1.874            | 10.430 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915077    |
| DRESSER    | TD20G    | LGP      | SALT     | 1.874            | 10.430 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915077    |
| DRESSER    | TD24     |          | SEALED   | 1.875            | 11.000 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915037    |
| DRESSER    | TD25B    |          | SEALED   | 1.875            | 11.000 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915037    |
| DRESSER    | TD25C    |          | SEALED   | 2.125            | 11.000 | 9.870 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 30                | 915102    |
| DRESSER    | TD25C    |          | SALT     | 2.125            | 11.000 | 9.870 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 30                | 915102    |
| DRESSER    | TD25E    |          | SEALED   | 2.125            | 11.000 | 9.870 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 30                | 915102    |
| DRESSER    | TD25E    |          | SALT     | 2.125            | 11.000 | 9.870 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 30                | 915102    |
| DRESSER    | TD25E    | SPLIT    | SEALED   | 2.125            | 11.000 | 9.870 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 30                | 915102    |
| DRESSER    | TD25G    |          | UNSEALED | 2.125            | 11.000 | 9.870 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 30                | 915102    |
| DRESSER    | TD25G    |          | SALT     | 2.125            | 11.000 | 9.870 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 30                | 915102    |
| DRESSER    | TD30     |          | SEALED   | 2.125            | 11.000 | 9.870 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 30                | 915102    |
| DRESSER    | TD30     |          | SALT     | 2.125            | 11.000 | 9.870 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 30                | 915102    |
| DRESSER    | TD4      |          | FLUSH    | 1.010            | 4.750  | 6.000 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915028    |

Note: Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |       |          |          | Track Dimensions |        |        | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|-------|----------|----------|------------------|--------|--------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model | Comments | Type     | Dia.             | Length | Pitch  | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| DRESSER    | TD40  | SPLIT    | SALT     | 2.456            | 12.600 | 11.020 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915101    |
| DRESSER    | TD40  | SPLIT    | SEALED   | 2.456            | 12.600 | 11.020 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915101    |
| DRESSER    | TD5   |          | FLUSH    | 1.010            | 4.750  | 6.000  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915028    |
| DRESSER    | TD6   |          | SEALED   | 1.250            | 5.970  | 6.000  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915034    |
| DRESSER    | TD7   |          | SEALED   | 1.250            | 6.500  | 5.998  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915040    |
| DRESSER    | TD7C  |          | SEALED   | 1.250            | 6.500  | 5.998  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915040    |
| DRESSER    | TD7E  |          | SEALED   | 1.250            | 6.500  | 5.990  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915100    |
| DRESSER    | TD7G  |          | SALT     | 1.312            | 6.690  | 6.490  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915133    |
| DRESSER    | TD7H  |          | UNSEALED | 1.312            | 6.690  | 6.490  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915213    |
| DRESSER    | TD8C  |          | SEALED   | 1.375            | 6.690  | 6.490  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915048    |
| DRESSER    | TD8E  |          | SEALED   | 1.375            | 6.690  | 6.490  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915048    |
| DRESSER    | TD8G  |          | SALT     | 1.312            | 6.690  | 6.490  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915133    |
| DRESSER    | TD8G  |          | SEALED   | 1.312            | 6.690  | 6.490  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915040    |
| DRESSER    | TD-8G |          | UNSEALED | 1.312            | 6.690  | 6.490  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915213    |
| DRESSER    | TD9B  |          | SEALED   | 1.375            | 6.690  | 6.490  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915048    |
| DRESSER    | TD9H  |          | SALT     | 1.312            | 6.690  | 6.490  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915133    |
| FIAT       | 31    |          | UNSEALED | 2.374            | 12.953 | 11.281 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915142    |
| FIAT       | 31    |          | SALT     | 2.374            | 12.953 | 11.281 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915221    |
| FIAT       | 652   |          | UNSEALED | 1.250            | 6.240  | 6.000  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915004    |
| FIAT       | 653   |          | UNSEALED | 1.250            | 6.240  | 6.000  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915004    |
| FIAT       | 655   |          | UNSEALED | 1.250            | 6.240  | 6.000  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915004    |
| FIAT       | 12G   |          | UNSEALED | 1.874            | 10.270 | 7.858  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915020    |
| FIAT       | 12G   |          | SEALED   | 1.876            | 10.270 | 7.850  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915020    |
| FIAT       | 12GB  |          | SEALED   | 1.878            | 10.270 | 7.858  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915030    |
| FIAT       | 14B   |          | UNSEALED | 1.578            | 8.661  | 7.480  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915022    |
| FIAT       | 41B   |          | UNSEALED | 2.622            | 14.000 | 11.281 | B3631/2           | A3541-001    | 35                | 25553          | 50-020           | 50-021-3    | 35                | 915218    |
| FIAT       | 41B   |          | SALT     | 2.622            | 14.000 | 11.281 | B3631/2           | A3541-001    | 35                | 25553          | 50-020           | 50-021-3    | 35                | 915218    |
| FIAT       | AD10  |          | UNSEALED | 1.459            | 7.874  | 6.929  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915022    |
| FIAT       | AD10B |          | UNSEALED | 1.459            | 7.874  | 6.929  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915022    |
| FIAT       | AD12  |          | SALT     | 1.577            | 8.660  | 6.000  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915022    |
| FIAT       | AD12  |          | UNSEALED | 1.578            | 8.661  | 7.480  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915022    |
| FIAT       | AD14  |          | SALT     | 1.577            | 8.660  | 6.000  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915022    |
| FIAT       | AD14  |          | UNSEALED | 1.578            | 8.661  | 7.480  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915022    |
| FIAT       | AD18  |          | UNSEALED | 1.870            | 9.840  | 8.503  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915019    |
| FIAT       | AD20  |          | UNSEALED | 1.870            | 9.840  | 8.503  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915019    |
| FIAT       | AD4   |          | UNSEALED | 0.984            | 5.280  | 5.512  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915028    |
| FIAT       | AD5   |          | UNSEALED | 1.181            | 6.100  | 6.299  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915027    |
| FIAT       | AD6   |          | UNSEALED | 1.377            | 7.010  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915025    |
| FIAT       | AD7   |          | UNSEALED | 1.377            | 7.010  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915025    |
| FIAT       | AD7C  |          | UNSEALED | 1.377            | 7.010  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915025    |
| FIAT       | AD8   |          | UNSEALED | 1.380            | 7.126  | 6.693  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915025    |
| FIAT       | AD9   |          | UNSEALED | 1.377            | 7.010  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915025    |
| FIAT       | B1    |          | UNSEALED | 0.984            | 5.280  | 5.512  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915028    |
| FIAT       | BD10  |          | UNSEALED | 1.459            | 7.874  | 6.929  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915022    |
| FIAT       | BD10B |          | UNSEALED | 1.459            | 7.874  | 6.929  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915022    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |         |          |          | Track Dimensions |        |        | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|---------|----------|----------|------------------|--------|--------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model   | Comments | Type     | Dia.             | Length | Pitch  | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| FIAT       | BD12    |          | SALT     | 1.577            | 8.660  | 6.000  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915022    |
| FIAT       | BD12    |          | UNSEALED | 1.578            | 8.661  | 7.480  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915022    |
| FIAT       | BD14    |          | SALT     | 1.577            | 8.660  | 6.000  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915022    |
| FIAT       | BD14    |          | UNSEALED | 1.578            | 8.661  | 7.480  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915022    |
| FIAT       | BD18    |          | UNSEALED | 1.870            | 9.840  | 8.503  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915019    |
| FIAT       | BD20    |          | UNSEALED | 1.870            | 9.840  | 8.503  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915019    |
| FIAT       | BD7     |          | UNSEALED | 1.377            | 7.010  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915025    |
| FIAT       | BD7C    |          | UNSEALED | 1.377            | 7.010  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915025    |
| FIAT       | BD8     |          | UNSEALED | 1.380            | 7.126  | 6.693  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915025    |
| FIAT       | BD9     |          | UNSEALED | 1.377            | 7.010  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915025    |
| FIAT       | F318    |          | SEALED   | 1.377            | 7.165  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915154    |
| FIAT       | FA200   |          | SALT     | 1.577            | 8.660  | 6.000  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915022    |
| FIAT       | FD14    |          | SALT     | 1.577            | 8.660  | 6.000  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915022    |
| FIAT       | FD20    |          | UNSEALED | 1.873            | 9.843  | 8.504  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915019    |
| FIAT       | FD20    |          | SALT     | 1.880            | 9.900  | 8.503  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915006    |
| FIAT       | FD30    |          | UNSEALED | 2.036            | 11.660 | 9.042  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915016    |
| FIAT       | FD30    |          | SALT     | 2.036            | 11.650 | 9.035  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915105    |
| FIAT       | FD31    |          | SEALED   | 2.373            | 12.950 | 11.250 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915029    |
| FIAT       | FD31    |          | SALT     | 2.373            | 12.950 | 11.281 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915094    |
| FIAT       | FD31    |          | UNSEALED | 2.375            | 12.950 | 11.250 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915073    |
| FIAT       | FD40    |          | SALT     | 2.373            | 12.950 | 11.281 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915094    |
| FIAT       | FD40    |          | UNSEALED | 2.374            | 12.953 | 11.281 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915142    |
| FIAT       | FD40    |          | SALT     | 2.374            | 12.953 | 11.281 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915221    |
| FIAT       | FD40    |          | UNSEALED | 2.375            | 12.950 | 11.250 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915073    |
| FIAT       | FD40B   |          | UNSEALED | 2.374            | 12.953 | 11.281 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915142    |
| FIAT       | FD40B   |          | SALT     | 2.374            | 12.953 | 11.281 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915221    |
| FIAT       | FD5     |          | UNSEALED | 1.143            | 6.457  | 6.299  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915120    |
| FIAT       | FD5     |          | SALT     | 1.260            | 6.420  | 6.299  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915130    |
| FIAT       | FD50    |          | UNSEALED | 2.622            | 14.000 | 11.281 | B3631/2           | A3541-001    | 35                | 25553          | 50-020           | 50-021-3    | 35                | 915218    |
| FIAT       | FD50    |          | SALT     | 2.622            | 14.000 | 11.281 | B3631/2           | A3541-001    | 35                | 25553          | 50-020           | 50-021-3    | 35                | 915218    |
| FIAT       | FD7     |          | UNSEALED | 1.143            | 6.457  | 6.299  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915120    |
| FIAT       | FD7     |          | SALT     | 1.260            | 6.420  | 6.299  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915130    |
| FIAT       | FD9     |          | UNSEALED | 1.382            | 7.170  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915014    |
| FIAT       | FD9     |          | SALT     | 1.382            | 7.170  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915014    |
| FIAT       | FE16    |          | SEALED   | 1.377            | 7.165  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915154    |
| FIAT       | FE20    |          | SEALED   | 1.377            | 7.165  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915154    |
| FIAT       | FE20LC  |          | SEALED   | 1.377            | 7.165  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915154    |
| FIAT       | FE8LC   |          | SEALED   | 1.377            | 7.165  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915154    |
| FIAT       | FH120   |          | SEALED   | 1.377            | 7.165  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915154    |
| FIAT       | FH150   |          | SEALED   | 1.377            | 7.165  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915154    |
| FIAT       | FH150LC |          | SEALED   | 1.377            | 7.165  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915154    |
| FIAT       | FH200   |          | SEALED   | 1.458            | 8.031  | 6.929  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915118    |
| FIAT       | FH200LC |          | SEALED   | 1.458            | 8.031  | 6.929  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915118    |
| FIAT       | FL10    |          | UNSEALED | 1.459            | 7.874  | 6.929  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915022    |
| FIAT       | FL10B   |          | UNSEALED | 1.459            | 7.874  | 6.929  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915022    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |       |                 |          | Track Dimensions |        |        | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|-------|-----------------|----------|------------------|--------|--------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model | Comments        | Type     | Dia.             | Length | Pitch  | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| FIAT       | FL12  |                 | UNSEALED | 1.578            | 8.661  | 7.480  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915022    |
| FIAT       | FL14  |                 | SALT     | 1.577            | 8.660  | 6.000  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915022    |
| FIAT       | FL14  |                 | UNSEALED | 1.578            | 8.661  | 7.480  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915022    |
| FIAT       | FL14B |                 | UNSEALED | 1.578            | 8.661  | 7.480  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915022    |
| FIAT       | FL14C |                 | UNSEALED | 1.578            | 8.661  | 7.480  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915022    |
| FIAT       | FL14D |                 | SALT     | 1.577            | 8.660  | 6.000  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915022    |
| FIAT       | FL14E |                 | SALT     | 1.577            | 8.660  | 6.000  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915022    |
| FIAT       | FL20  | S/N 7607 & DN   | UNSEALED | 1.873            | 9.843  | 8.504  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915019    |
| FIAT       | FL20  | 7608 & UP       | SALT     | 1.880            | 9.900  | 8.503  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915006    |
| FIAT       | FL4   |                 | UNSEALED | 0.868            | 5.118  | 4.921  | A3536             | A3539        | 27                | 25503          | 50-008-002       | 50-007-008  | 27                | 915316    |
| FIAT       | FL4   | Berco           | UNSEALED | 0.984            | 5.354  | 5.512  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915046    |
| FIAT       | FL4AC |                 | UNSEALED | 0.984            | 5.280  | 5.512  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915028    |
| FIAT       | FL4AD |                 | UNSEALED | 0.984            | 5.280  | 5.512  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915028    |
| FIAT       | FL4L  |                 | UNSEALED | 0.984            | 5.280  | 5.512  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915028    |
| FIAT       | FL5   |                 | UNSEALED | 1.143            | 6.457  | 6.299  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915120    |
| FIAT       | FL5   |                 | SALT     | 1.260            | 6.420  | 6.299  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915130    |
| FIAT       | FL5B  |                 | SALT     | 1.260            | 6.420  | 6.299  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915130    |
| FIAT       | FL6   |                 | UNSEALED | 1.181            | 6.100  | 6.299  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915027    |
| FIAT       | FL6   | Berco           | UNSEALED | 1.181            | 6.102  | 6.299  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915170    |
| FIAT       | FL7   |                 | UNSEALED | 1.143            | 6.457  | 6.299  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915120    |
| FIAT       | FL7   |                 | SALT     | 1.260            | 6.420  | 6.299  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915130    |
| FIAT       | FL7   |                 | UNSEALED | 1.377            | 7.010  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915025    |
| FIAT       | FL7B  |                 | SALT     | 1.260            | 6.420  | 6.299  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915130    |
| FIAT       | FL8   |                 | UNSEALED | 1.377            | 7.010  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915025    |
| FIAT       | FL8C  |                 | UNSEALED | 1.377            | 7.010  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915025    |
| FIAT       | FL9   |                 | UNSEALED | 1.380            | 7.126  | 6.693  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915025    |
| FIAT       | FP120 | S/N 41-3000     | UNSEALED | 2.374            | 12.953 | 11.281 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915142    |
| FIAT       | FP120 | S/N 41-3000     | SALT     | 2.374            | 12.953 | 11.281 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915221    |
| FIAT       | GH11E | S/N 10000 & DN  | UNSEALED | 1.565            | 8.140  | 7.000  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915214    |
| FIAT       | H3    |                 | UNSEALED | 1.253            | 5.840  | 6.000  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915219    |
| FIAT       | H4    |                 | UNSEALED | 1.250            | 6.240  | 6.000  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915004    |
| FIAT       | H4    |                 | UNSEALED | 1.253            | 5.840  | 6.000  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915219    |
| FIAT       | HD10  |                 | UNSEALED | 1.753            | 8.370  | 7.850  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915220    |
| FIAT       | HD11  | S/N 7538-10000  | SEALED   | 1.562            | 8.140  | 7.000  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915031    |
| FIAT       | HD11  | S/N 1000 & DN   | UNSEALED | 1.565            | 8.140  | 7.006  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915023    |
| FIAT       | HD11  | S/N 10001 & UP  | UNSEALED | 1.620            | 8.400  | 7.006  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-003  | 27                | 915024    |
| FIAT       | HD11  | SN 5901 & UP    | SEALED   | 1.620            | 8.400  | 7.006  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-003  | 27                | 915024    |
| FIAT       | HD11B |                 | SEALED   | 1.620            | 8.400  | 7.006  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-003  | 27                | 915024    |
| FIAT       | HD11B | S/N 10001-19484 | UNSEALED | 1.620            | 8.400  | 7.006  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-003  | 27                | 915024    |
| FIAT       | HD11B | S/N 19485 & UP  | UNSEALED | 1.620            | 8.600  | 7.006  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-003  | 27                | 915215    |
| FIAT       | HD11E | S/N 10000 & DN  | SEALED   | 1.565            | 8.140  | 7.006  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915023    |
| FIAT       | HD11G | S/N 8940 & DN   | SEALED   | 1.565            | 8.140  | 7.006  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915023    |
| FIAT       | HD11G | S/N 8940 & DN   | UNSEALED | 1.565            | 8.140  | 7.000  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915214    |
| FIAT       | HD11G | S/N 8940 & UP   | UNSEALED | 1.565            | 8.140  | 7.006  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915023    |
| FIAT       | HD14  |                 | UNSEALED | 1.875            | 9.670  | 7.850  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915020    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |        |                 |          | Track Dimensions |        |        | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|--------|-----------------|----------|------------------|--------|--------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model  | Comments        | Type     | Dia.             | Length | Pitch  | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| FIAT       | HD15   |                 | UNSEALED | 1.753            | 9.330  | 7.858  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915021    |
| FIAT       | HD16   | S/N 5900 & DN   | UNSEALED | 1.753            | 9.330  | 7.858  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915021    |
| FIAT       | HD16   | S/N 5901 & UP   | UNSEALED | 1.874            | 10.270 | 7.858  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915020    |
| FIAT       | HD16   | S/N 5901 & UP   | SEALED   | 1.876            | 10.270 | 7.850  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915020    |
| FIAT       | HD16B  |                 | SEALED   | 1.878            | 10.270 | 7.858  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915030    |
| FIAT       | HD19   |                 | UNSEALED | 1.876            | 11.660 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915217    |
| FIAT       | HD19   |                 | SEALED   | 1.876            | 11.660 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915017    |
| FIAT       | HD19   |                 | SEALED   | 1.878            | 11.660 | 9.008  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915017    |
| FIAT       | HD20   |                 | UNSEALED | 1.876            | 11.660 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915217    |
| FIAT       | HD20   |                 | SEALED   | 1.876            | 11.660 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915017    |
| FIAT       | HD20   |                 | SEALED   | 1.878            | 11.660 | 9.008  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915017    |
| FIAT       | HD21   | S/N14943 & UP   | UNSEALED | 1.878            | 11.660 | 9.008  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915017    |
| FIAT       | HD21   | S/N 13871-14942 | SEALED   | 1.878            | 11.660 | 9.008  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915017    |
| FIAT       | HD21   | S/N 14942 & DN  | UNSEALED | 1.878            | 11.660 | 9.008  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915221    |
| FIAT       | HD21   | S/N14943 & UP   | SEALED   | 1.878            | 11.660 | 9.008  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915017    |
| FIAT       | HD21B  |                 | UNSEALED | 1.876            | 11.660 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915018    |
| FIAT       | HD21B  |                 | SEALED   | 1.876            | 11.660 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915016    |
| FIAT       | HD21C  |                 | UNSEALED | 2.036            | 11.660 | 9.042  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915016    |
| FIAT       | HD21P  | S/N 14942 & DN  | UNSEALED | 1.876            | 11.660 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915217    |
| FIAT       | HD21P  | S/N 14942 & DN  | SEALED   | 1.876            | 11.660 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915017    |
| FIAT       | HD21P  | S/N 14943 & UP  | UNSEALED | 1.878            | 11.660 | 9.008  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915017    |
| FIAT       | HD3    |                 | UNSEALED | 1.253            | 5.840  | 6.000  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915219    |
| FIAT       | HD31   |                 | SALT     | 2.373            | 12.950 | 11.281 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915094    |
| FIAT       | HD31   |                 | UNSEALED | 2.375            | 12.950 | 11.250 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915073    |
| FIAT       | HD4    | S/N 3001 & UP   | UNSEALED | 1.250            | 6.240  | 6.000  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915004    |
| FIAT       | HD4    |                 | UNSEALED | 1.253            | 5.840  | 6.000  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915219    |
| FIAT       | HD41   |                 | SEALED   | 2.373            | 12.950 | 11.250 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915029    |
| FIAT       | HD41   |                 | SALT     | 2.373            | 12.950 | 11.281 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915094    |
| FIAT       | HD41   |                 | UNSEALED | 2.375            | 12.950 | 11.250 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915073    |
| FIAT       | HD41B  |                 | SALT     | 2.622            | 14.000 | 11.280 | B3631/2           | A3541-001    | 35                | 25553          | 50-020           | 50-021-3    | 35                | 915218    |
| FIAT       | HD41B  |                 | UNSEALED | 2.623            | 14.000 | 11.280 | B3631/2           | A3541-001    | 35                | 25553          | 50-020           | 50-021-3    | 35                | 915033    |
| FIAT       | HD5    |                 | UNSEALED | 1.375            | 6.910  | 6.495  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915014    |
| FIAT       | HD5    |                 | SEALED   | 1.375            | 6.910  | 6.495  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915014    |
| FIAT       | HD5    |                 | UNSEALED | 1.753            | 8.370  | 7.850  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915220    |
| FIAT       | HD50   |                 | UNSEALED | 1.753            | 8.370  | 7.850  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915220    |
| FIAT       | HD50   |                 | SALT     | 2.622            | 14.000 | 11.280 | B3631/2           | A3541-001    | 35                | 25553          | 50-020           | 50-021-3    | 35                | 915218    |
| FIAT       | HD50   |                 | UNSEALED | 2.623            | 14.000 | 11.280 | B3631/2           | A3541-001    | 35                | 25553          | 50-020           | 50-021-3    | 35                | 915033    |
| FIAT       | HD6    |                 | UNSEALED | 1.375            | 6.910  | 6.495  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915014    |
| FIAT       | HD6    |                 | SEALED   | 1.375            | 6.910  | 6.495  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915014    |
| FIAT       | HD7    | S/N 1102 & DN   | UNSEALED | 1.738            | 7.510  | 6.500  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915026    |
| FIAT       | HD7    | S/N 1103 & UP   | UNSEALED | 1.565            | 8.140  | 6.500  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915023    |
| FIAT       | HD7G   |                 | SEALED   | 1.565            | 8.140  | 7.006  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915023    |
| FIAT       | HD7G   |                 | UNSEALED | 1.565            | 8.140  | 7.000  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915214    |
| FIAT       | HD7G   |                 | UNSEALED | 1.565            | 8.140  | 7.006  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915023    |
| FIAT       | HD7G-B |                 | SEALED   | 1.562            | 8.140  | 7.000  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915031    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |          |              |          | Track Dimensions |        |        | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|----------|--------------|----------|------------------|--------|--------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model    | Comments     | Type     | Dia.             | Length | Pitch  | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| FIAT       | HD9      |              | UNSEALED | 1.565            | 8.140  | 7.000  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915214    |
| FIAT       | HD9      |              | SEALED   | 1.565            | 8.140  | 7.006  | B3635             | A3540        | 27                | 25547          | 50-008-002       | 50-007-010  | 27                | 915023    |
| FIAT       | K        |              | UNSEALED | 1.738            | 7.510  | 6.500  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915026    |
| FIAT       | KO       |              | UNSEALED | 1.738            | 7.510  | 6.500  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915026    |
| FIAT       | PH130    |              | SEALED   | 1.377            | 7.165  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915154    |
| FIAT       | S11      |              | SEALED   | 1.377            | 7.165  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915154    |
| FIAT       | S9       |              | SEALED   | 1.377            | 7.165  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915154    |
| FIAT       | SL11     | 33/281 & UP  | SEALED   | 1.377            | 7.165  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915154    |
| FIAT       | SL9      | 30/241 & UP  | SEALED   | 1.377            | 7.165  | 6.692  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915154    |
| HITACHI    | EX100    |              | UNSEALED | 1.315            | 7.283  | 6.736  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915223    |
| HITACHI    | EX1100   |              | SEALED   | 2.290            | 12.578 | 10.250 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915171    |
| HITACHI    | EX120    |              | UNSEALED | 1.315            | 7.283  | 6.736  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915223    |
| HITACHI    | EX1200-5 |              | SEALED   | 2.290            | 12.578 | 10.250 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915171    |
| HITACHI    | EX1200-6 | Berco KM2346 | SEALED   | 2.362            | 12.772 | 11.023 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915339    |
| HITACHI    | EX150    |              | SEALED   | 1.378            | 7.598  | 6.750  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915002    |
| HITACHI    | EX200    |              | SEALED   | 1.442            | 8.346  | 7.484  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915134    |
| HITACHI    | EX220    |              | SEALED   | 1.496            | 8.346  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915042    |
| HITACHI    | EX300    |              | SEALED   | 1.750            | 9.650  | 8.000  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915121    |
| HITACHI    | EX400    |              | SEALED   | 1.875            | 10.000 | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915012    |
| HITACHI    | EX550    |              | SEALED   | 1.909            | 11.570 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915087    |
| HITACHI    | EX700    |              | SEALED   | 2.185            | 12.610 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 35                | 915125    |
| HITACHI    | EX800    |              | SEALED   | 2.185            | 12.610 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 35                | 915125    |
| HITACHI    | EX90     |              | UNSEALED | 1.315            | 7.283  | 6.736  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915223    |
| HITACHI    | UH083    |              | SALT     | 1.440            | 8.110  | 6.909  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915042    |
| HITACHI    | ZX350    |              | SEALED   | 1.750            | 9.650  | 8.000  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915121    |
| HYUNDAI    | R160LC-9 |              |          | 1.403            |        | 7.000  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                |           |
| JCB        | JS220    |              | SALT     | 1.752            | 9.933  | 8.000  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915084    |
| JCB        | JS300    |              | SALT     | 1.752            | 9.933  | 8.000  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915084    |
| JCB        | JS330    |              | SALT     | 1.752            | 9.933  | 8.000  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915084    |
| JCB        | JS360    |              | SALT     | 1.752            | 9.933  | 8.000  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915084    |
| JOHN DEERE | 50       |              | SEALED   | 0.867            | 4.840  | 5.315  | A3536             | A3539        | 27                | 25503          | 50-008-002       | 50-007-008  | 27                | 915027    |
| JOHN DEERE | 70       |              | SEALED   | 1.190            | 6.102  | 6.063  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915025    |
| JOHN DEERE | 80       |              | SEALED   | 0.950            | 5.157  | 6.062  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915074    |
| JOHN DEERE | 110      |              | SEALED   | 1.319            | 7.008  | 6.750  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915002    |
| JOHN DEERE | 120      |              | SEALED   | 1.319            | 7.008  | 6.750  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915002    |
| JOHN DEERE | 135      |              | SEALED   | 1.319            | 7.008  | 6.750  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915002    |
| JOHN DEERE | 230      |              | SEALED   | 1.493            | 8.366  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915042    |
| JOHN DEERE | 291      |              | SEALED   | 1.181            | 6.456  | 6.125  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915136    |
| JOHN DEERE | 350      |              | FLUSH    | 1.192            | 5.470  | 5.749  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915065    |
| JOHN DEERE | 370      |              | SEALED   | 1.873            | 10.000 | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915087    |
| JOHN DEERE | 440      |              | FLUSH    | 1.004            | 5.469  | 5.749  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915064    |
| JOHN DEERE | 450      |              | RECESSED | 1.376            | 6.080  | 6.290  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915056    |
| JOHN DEERE | 450      |              | FLUSH    | 1.377            | 6.080  | 6.290  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915056    |
| JOHN DEERE | 490      |              | RECESSED | 1.320            | 6.970  | 6.750  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915074    |
| JOHN DEERE | 550      |              | SEALED   | 1.376            | 6.200  | 6.290  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915074    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |         |                    |          | Track Dimensions |        |       | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|---------|--------------------|----------|------------------|--------|-------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model   | Comments           | Type     | Dia.             | Length | Pitch | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| JOHN DEERE | 555     |                    | SEALED   | 1.376            | 6.200  | 6.290 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915074    |
| JOHN DEERE | 590     | S/N 001787 & UP    | SEALED   | 1.366            | 7.598  | 6.750 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915228    |
| JOHN DEERE | 655     |                    | SEALED   | 1.440            | 8.110  | 6.909 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915042    |
| JOHN DEERE | 655     |                    | SALT     | 1.440            | 8.110  | 6.991 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915042    |
| JOHN DEERE | 700     |                    | SALT     | 1.440            | 8.110  | 6.991 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915042    |
| JOHN DEERE | 750     |                    | SEALED   | 1.440            | 8.110  | 6.909 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915042    |
| JOHN DEERE | 750     |                    | SALT     | 1.440            | 8.110  | 6.991 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915042    |
| JOHN DEERE | 755     |                    | SEALED   | 1.440            | 8.110  | 6.909 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915042    |
| JOHN DEERE | 755     |                    | SALT     | 1.440            | 8.110  | 6.991 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915042    |
| JOHN DEERE | 790     |                    | SEALED   | 1.496            | 8.580  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915022    |
| JOHN DEERE | 792     |                    | SEALED   | 1.750            | 9.646  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915121    |
| JOHN DEERE | 850     |                    | SEALED   | 1.750            | 9.060  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915013    |
| JOHN DEERE | 855     |                    | SEALED   | 1.878            | 9.902  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915083    |
| JOHN DEERE | 855     |                    | SALT     | 1.881            | 9.882  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915006    |
| JOHN DEERE | 890     |                    | SEALED   | 1.878            | 9.902  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915083    |
| JOHN DEERE | 890     |                    | RECESSED | 1.880            | 9.900  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915227    |
| JOHN DEERE | 990     |                    | SEALED   | 1.878            | 9.902  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915083    |
| JOHN DEERE | 1280    | EXC                |          | 1.439            | 8.110  | 6.900 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915229    |
| JOHN DEERE | 2010    | S/N 42000 & DN     | FLUSH    | 1.004            | 5.469  | 5.749 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915064    |
| JOHN DEERE | 2010    | S/N 42001 & UP     | FLUSH    | 1.192            | 5.470  | 5.749 | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915065    |
| JOHN DEERE | 1050C   |                    | SALT     | 2.000            | 10.310 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 30                | 915172    |
| JOHN DEERE | 1050J   |                    | SALT     | 2.000            | 10.310 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 30                | 915172    |
| JOHN DEERE | 1050K   |                    | SALT     | 1.878            | 9.921  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915102    |
| JOHN DEERE | 1050K   | Snap Ring AT468536 | SALT     | 1.878            | 9.921  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915324    |
| JOHN DEERE | 1150D   |                    | SALT     | 1.440            | 8.110  | 6.678 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915215    |
| JOHN DEERE | 1155D   |                    | SALT     | 1.440            | 8.110  | 6.678 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915215    |
| JOHN DEERE | 120 EXC |                    | SEALED   | 1.300            | 7.240  | 6.960 | A3537             | A3539        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915059    |
| JOHN DEERE | 120C    |                    | SEALED   | 1.319            | 7.008  | 6.750 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915002    |
| JOHN DEERE | 160CLC  |                    | SEALED   | 1.493            | 8.340  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915252    |
| JOHN DEERE | 160LC   |                    | SEALED   | 1.493            | 8.366  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915042    |
| JOHN DEERE | 190E    |                    | SEALED   | 1.190            | 6.102  | 6.063 | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915025    |
| JOHN DEERE | 200LC   |                    | SEALED   | 1.493            | 8.366  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915042    |
| JOHN DEERE | 230CLC  |                    | SEALED   | 1.496            | 8.583  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915023    |
| JOHN DEERE | 230LC   |                    | SEALED   | 1.493            | 8.366  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915042    |
| JOHN DEERE | 230LC   |                    | SEALED   | 1.496            | 8.583  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915023    |
| JOHN DEERE | 240D    |                    | SEALED   | 1.496            | 8.583  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915023    |
| JOHN DEERE | 250G    | Recessed           | SEALED   | 1.496            | 8.370  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915279    |
| JOHN DEERE | 270CLC  |                    | SEALED   | 1.760            | 9.520  | 8.500 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915162    |
| JOHN DEERE | 270LC   |                    | SEALED   | 1.750            | 9.646  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915121    |
| JOHN DEERE | 290D    |                    | SEALED   | 1.181            | 6.456  | 6.125 | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915136    |
| JOHN DEERE | 330CLC  |                    | SEALED   | 1.760            | 9.520  | 8.500 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915162    |
| JOHN DEERE | 330LC   | EXC                | SEALED   | 1.760            | 9.520  | 8.500 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915162    |
| JOHN DEERE | 350B    |                    | FLUSH    | 1.192            | 5.470  | 5.749 | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915065    |
| JOHN DEERE | 350C    |                    | FLUSH    | 1.192            | 5.470  | 5.749 | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915065    |
| JOHN DEERE | 350D    |                    | SEALED   | 1.192            | 5.380  | 5.749 | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915027    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |        |                        |          | Track Dimensions |        |       | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|--------|------------------------|----------|------------------|--------|-------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model  | Comments               | Type     | Dia.             | Length | Pitch | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| JOHN DEERE | 350G   |                        | SEALED   | 1.756            | 9.527  | 8.500 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915323    |
| JOHN DEERE | 350GLC | BERCO                  | SEALED   | 1.770            | 9.500  | 8.500 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915273    |
| JOHN DEERE | 400G   |                        | SEALED   | 1.192            | 5.380  | 5.749 | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915027    |
| JOHN DEERE | 420C   |                        | FLUSH    | 1.004            | 5.469  | 5.749 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915064    |
| JOHN DEERE | 450B   |                        | RECESSED | 1.376            | 6.080  | 6.290 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915056    |
| JOHN DEERE | 450C   |                        | SALT     | 1.256            | 6.378  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915014    |
| JOHN DEERE | 450C   | S/N 216337 & DN        | RECESSED | 1.376            | 6.080  | 6.290 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915056    |
| JOHN DEERE | 450C   | S/N 216338 & UP        | SEALED   | 1.376            | 6.200  | 6.290 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915074    |
| JOHN DEERE | 450CLC |                        | SEALED   | 1.873            | 10.000 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915087    |
| JOHN DEERE | 450D   |                        | SALT     | 1.256            | 6.378  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915014    |
| JOHN DEERE | 450D   |                        | SEALED   | 1.259            | 6.358  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915046    |
| JOHN DEERE | 450E   |                        | SEALED   | 1.259            | 6.358  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915046    |
| JOHN DEERE | 450G   |                        | SALT     | 1.256            | 6.378  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915014    |
| JOHN DEERE | 450G   |                        | SEALED   | 1.259            | 6.358  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915046    |
| JOHN DEERE | 450H   |                        | SALT     | 1.256            | 6.378  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915014    |
| JOHN DEERE | 450H   |                        | SEALED   | 1.259            | 6.358  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915046    |
| JOHN DEERE | 450J   |                        | SALT     | 1.256            | 6.378  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915014    |
| JOHN DEERE | 450J   |                        | SEALED   | 1.259            | 6.358  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915046    |
| JOHN DEERE | 450J   | Max Life Undercarriage | SALT     | 1.310            | 7.240  | 6.734 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915089    |
| JOHN DEERE | 450LC  |                        | SEALED   | 1.873            | 10.000 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915087    |
| JOHN DEERE | 455D   |                        | SEALED   | 1.259            | 6.358  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915046    |
| JOHN DEERE | 455G   |                        | SALT     | 1.256            | 6.378  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915014    |
| JOHN DEERE | 455G   |                        | SEALED   | 1.259            | 6.358  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915046    |
| JOHN DEERE | 490D   |                        | SEALED   | 1.319            | 7.008  | 6.750 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915002    |
| JOHN DEERE | 490E   |                        | SEALED   | 1.330            | 6.700  | 6.730 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915166    |
| JOHN DEERE | 550A   |                        | SALT     | 1.256            | 6.378  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915014    |
| JOHN DEERE | 550A   |                        | SEALED   | 1.259            | 6.358  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915046    |
| JOHN DEERE | 550B   |                        | SALT     | 1.256            | 6.378  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915014    |
| JOHN DEERE | 550B   |                        | SEALED   | 1.259            | 6.358  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915046    |
| JOHN DEERE | 550G   |                        | SALT     | 1.256            | 6.378  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915014    |
| JOHN DEERE | 550G   |                        | SEALED   | 1.259            | 6.358  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915046    |
| JOHN DEERE | 550H   |                        | SALT     | 1.256            | 6.378  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915014    |
| JOHN DEERE | 550H   |                        | SEALED   | 1.259            | 6.358  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915046    |
| JOHN DEERE | 550J   |                        | SALT     | 1.256            | 6.378  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915014    |
| JOHN DEERE | 550J   | Max Life Undercarriage | SALT     | 1.310            | 7.240  | 6.734 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915089    |
| JOHN DEERE | 550K   |                        | SALT     | 1.256            | 6.378  | 6.290 | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915014    |
| JOHN DEERE | 550K   | Max Life Undercarriage | SALT     | 1.310            | 7.240  | 6.734 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915089    |
| JOHN DEERE | 555G   |                        | SALT     | 1.310            | 7.240  | 6.734 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915089    |
| JOHN DEERE | 555G   |                        | SEALED   | 1.318            | 7.224  | 6.290 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915089    |
| JOHN DEERE | 590D   | S/N 1787 & UP          | SEALED   | 1.366            | 7.598  | 6.750 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915142    |
| JOHN DEERE | 590D   |                        | SEALED   | 1.378            | 7.598  | 6.750 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915002    |
| JOHN DEERE | 650G   |                        | SALT     | 1.310            | 7.240  | 6.734 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915089    |
| JOHN DEERE | 650G   |                        | SEALED   | 1.318            | 7.224  | 6.290 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915089    |
| JOHN DEERE | 650H   |                        | SALT     | 1.310            | 7.240  | 6.734 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915089    |
| JOHN DEERE | 650H   |                        | SEALED   | 1.318            | 7.224  | 6.290 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915089    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |        |                         |          | Track Dimensions |        |       | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|--------|-------------------------|----------|------------------|--------|-------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model  | Comments                | Type     | Dia.             | Length | Pitch | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| JOHN DEERE | 650J   |                         | SALT     | 1.310            | 7.240  | 6.734 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915089    |
| JOHN DEERE | 650J   |                         | SEALED   | 1.318            | 7.224  | 6.290 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915089    |
| JOHN DEERE | 650K   |                         | SALT     | 1.310            | 7.240  | 6.734 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915089    |
| JOHN DEERE | 650K   | Max Life Undercarriage  | SALT     | 1.310            | 7.386  | 6.750 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915269    |
| JOHN DEERE | 655B   |                         | SALT     | 1.440            | 8.110  | 6.991 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915042    |
| JOHN DEERE | 690A   |                         | RECESSED | 1.320            | 6.970  | 6.750 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915074    |
| JOHN DEERE | 690B   |                         | RECESSED | 1.320            | 6.970  | 6.750 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915074    |
| JOHN DEERE | 690C   |                         | RECESSED | 1.320            | 6.970  | 6.750 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915074    |
| JOHN DEERE | 690D   |                         | RECESSED | 1.320            | 6.970  | 6.750 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915074    |
| JOHN DEERE | 690E   |                         | SEALED   | 1.437            | 8.150  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915079    |
| JOHN DEERE | 690ELC |                         | SEALED   | 1.437            | 8.150  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915079    |
| JOHN DEERE | 693B   |                         | RECESSED | 1.320            | 6.970  | 6.750 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915074    |
| JOHN DEERE | 693D   |                         | SEALED   | 1.440            | 8.110  | 6.909 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915042    |
| JOHN DEERE | 700H   | Link T70316 & T70317    | SALT     | 1.440            | 8.110  | 6.909 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915270    |
| JOHN DEERE | 700J   |                         | SALT     | 1.440            | 8.110  | 6.991 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915042    |
| JOHN DEERE | 700J   | Link T70316 & T70317    | SALT     | 1.440            | 8.110  | 6.909 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915270    |
| JOHN DEERE | 700J   | Link T149070 & T149071  | SALT     | 1.440            | 8.110  | 6.909 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915163    |
| JOHN DEERE | 700J   | Max Life Undercarriage  | SALT     | 1.440            | 8.620  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915272    |
| JOHN DEERE | 700K   |                         | SALT     | 1.440            | 8.110  | 6.991 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915042    |
| JOHN DEERE | 700K   | Max Life Undercarriage  | SALT     | 1.440            | 8.620  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915272    |
| JOHN DEERE | 70D    |                         | SEALED   | 1.190            | 6.102  | 6.063 | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915025    |
| JOHN DEERE | 750B   |                         | SEALED   | 1.440            | 8.110  | 6.909 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915042    |
| JOHN DEERE | 750B   |                         | SALT     | 1.440            | 8.110  | 6.991 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915042    |
| JOHN DEERE | 750C   |                         | SALT     | 1.437            | 8.125  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| JOHN DEERE | 750J   |                         | SALT     | 1.496            | 9.390  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915080    |
| JOHN DEERE | 750J   | Berco Extended Pin Boss | SALT     | 1.496            | 9.390  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915080    |
| JOHN DEERE | 750K   |                         | SALT     | 1.496            | 9.390  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915080    |
| JOHN DEERE | 750K   | Berco Extended Pin Boss | SALT     | 1.496            | 9.390  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915080    |
| JOHN DEERE | 755A   |                         | SEALED   | 1.753            | 9.130  | 7.984 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915099    |
| JOHN DEERE | 755B   |                         | SEALED   | 1.440            | 8.110  | 6.909 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915042    |
| JOHN DEERE | 755C   |                         | SEALED   | 1.750            | 9.060  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915013    |
| JOHN DEERE | 755C   |                         | SALT     | 1.753            | 9.060  | 7.984 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915106    |
| JOHN DEERE | 790D   |                         | SEALED   | 1.496            | 8.583  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915023    |
| JOHN DEERE | 790E   |                         | SEALED   | 1.493            | 8.366  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915042    |
| JOHN DEERE | 790ELC |                         | SEALED   | 1.493            | 8.366  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915042    |
| JOHN DEERE | 792D   |                         | SEALED   | 1.750            | 9.646  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915121    |
| JOHN DEERE | 80C    |                         | SEALED   | 0.950            | 5.157  | 6.062 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915074    |
| JOHN DEERE | 850B   |                         | SALT     | 1.753            | 9.060  | 7.984 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915106    |
| JOHN DEERE | 850B   |                         | SEALED   | 1.753            | 9.130  | 7.984 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915099    |
| JOHN DEERE | 850C   |                         | SEALED   | 1.750            | 9.060  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915013    |
| JOHN DEERE | 850C   |                         | SALT     | 1.753            | 9.060  | 7.984 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915106    |
| JOHN DEERE | 850J   |                         | SALT     | 1.750            | 10.315 | 8.000 | B3635             | A3540        | 30                | 25548          | 50-008-002       | 50-007-002  | 30                | 915175    |
| JOHN DEERE | 850J   | Berco Extended Pin Boss | SALT     | 1.750            | 10.315 | 8.000 | B3635             | A3540        | 30                | 25548          | 50-008-002       | 50-007-002  | 30                | 915280    |
| JOHN DEERE | 850K   |                         | SALT     | 1.750            | 10.315 | 8.000 | B3635             | A3540        | 30                | 25548          | 50-008-002       | 50-007-002  | 30                | 915175    |
| JOHN DEERE | 850K   | Berco Extended Pin Boss | SALT     | 1.750            | 10.315 | 8.000 | B3635             | A3540        | 30                | 25548          | 50-008-002       | 50-007-002  | 30                | 915280    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |           |                         |          | Track Dimensions |        |       | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|-----------|-------------------------|----------|------------------|--------|-------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model     | Comments                | Type     | Dia.             | Length | Pitch | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| JOHN DEERE | 890A      |                         | SEALED   | 1.878            | 9.902  | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915083    |
| JOHN DEERE | 892D      |                         | SEALED   | 1.750            | 9.646  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915121    |
| JOHN DEERE | 892E      |                         | SEALED   | 1.750            | 9.646  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915121    |
| JOHN DEERE | 950J      |                         | SALT     | 1.870            | 10.860 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915189    |
| JOHN DEERE | 950K      | Berco Extended Pin Boss | SALT     | 1.875            | 10.866 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915329    |
| JOHN DEERE | 992D      |                         | SEALED   | 1.873            | 10.000 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915087    |
| JOHN DEERE | 992E      |                         | SEALED   | 1.873            | 10.000 | 8.500 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915087    |
| JOHN DEERE | EX120     |                         | SEALED   | 1.319            | 7.008  | 6.750 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915002    |
| JOHN DEERE | EX120-2   |                         | SEALED   | 1.330            | 6.700  | 6.730 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915166    |
| JOHN DEERE | EX150     |                         | SEALED   | 1.378            | 7.598  | 6.750 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915002    |
| JOHN DEERE | JD700     |                         | SEALED   | 1.440            | 8.110  | 6.909 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915042    |
| JOHN DEERE | JD700HLGP |                         | SEALED   | 1.440            | 8.110  | 6.909 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915042    |
| JOHN DEERE | JD700HLGP |                         | SALT     | 1.440            | 8.110  | 6.991 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915042    |
| KOBELCO    | K909A     |                         | UNSEALED | 1.496            | 8.580  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915023    |
| KOBELCO    | SK135SR-2 | Berco LK 49A            | SEALED   | 1.313            | 7.008  | 6.750 | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915140    |
| KOMATSU    | D120-15   |                         | SEALED   | 1.988            | 11.300 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915055    |
| KOMATSU    | D120-18   |                         | SEALED   | 1.988            | 11.300 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915055    |
| KOMATSU    | D120-8    |                         | SEALED   | 1.988            | 11.300 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915055    |
| KOMATSU    | D125-18   |                         | RECESSED | 1.988            | 11.300 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915206    |
| KOMATSU    | D135A-1   |                         | SALT     | 1.909            | 11.575 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915087    |
| KOMATSU    | D150-1    |                         | SALT     | 1.909            | 11.570 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915055    |
| KOMATSU    | D150-1    | S/N 6843 & UP           | UNSEALED | 1.929            | 11.535 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915086    |
| KOMATSU    | D150-1    | S/N 6843 & UP           | SEALED   | 1.929            | 11.540 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915086    |
| KOMATSU    | D150-1    | S/N 6842 & DN           | UNSEALED | 1.988            | 11.299 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915055    |
| KOMATSU    | D150-1    | S/N 6842 & DN           | SEALED   | 1.988            | 11.300 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915055    |
| KOMATSU    | D155      |                         | SALT     | 1.909            | 11.570 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915055    |
| KOMATSU    | D155      |                         | SEALED   | 1.988            | 11.300 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915055    |
| KOMATSU    | D155-1    |                         | SALT     | 1.909            | 11.570 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915055    |
| KOMATSU    | D155-1    | S/N 6843 & UP           | UNSEALED | 1.929            | 11.535 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915086    |
| KOMATSU    | D155-1    | S/N 6843 & UP           | SEALED   | 1.929            | 11.540 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915086    |
| KOMATSU    | D155-1    | S/N 6842 & DN           | SEALED   | 1.988            | 11.300 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915055    |
| KOMATSU    | D155-1    | S/N 10263-19064         | SEALED   | 1.907            | 11.575 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915087    |
| KOMATSU    | D155-1    | S/N 19065 & UP          | SALT     | 1.909            | 11.574 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915087    |
| KOMATSU    | D155-1    | S/N 6842 & DN           | UNSEALED | 1.988            | 11.299 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915055    |
| KOMATSU    | D155A     |                         | SALT     | 1.909            | 11.570 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915055    |
| KOMATSU    | D155A-1   | S/N 2540-10262          | SEALED   | 1.909            | 11.300 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915055    |
| KOMATSU    | D155A-2   |                         | SEALED   | 1.909            | 11.480 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915087    |
| KOMATSU    | D155A-2   |                         | SALT     | 1.909            | 11.574 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915087    |
| KOMATSU    | D155A-5   |                         | SEALED   | 1.909            | 11.480 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915167    |
| KOMATSU    | D155AX-3  |                         | SEALED   | 1.909            | 11.480 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915167    |
| KOMATSU    | D155AX-5  |                         | SEALED   | 1.909            | 11.480 | 9.000 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915167    |
| KOMATSU    | D155AX-6  |                         | SALT     | 1.933            | 11.417 | 9.055 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915330    |
| KOMATSU    | D155AX-7  |                         | SALT     | 1.933            | 11.417 | 9.055 | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915330    |
| KOMATSU    | D20       |                         | SALT     | 0.945            | 5.550  | 5.310 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915123    |
| KOMATSU    | D20       |                         | SEALED   | 0.945            | 5.630  | 5.310 | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915124    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |          |                |          | Track Dimensions |        |        | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|----------|----------------|----------|------------------|--------|--------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model    | Comments       | Type     | Dia.             | Length | Pitch  | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| KOMATSU    | D21      |                | SALT     | 0.945            | 5.550  | 5.310  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915123    |
| KOMATSU    | D21      |                | SEALED   | 0.945            | 5.630  | 5.310  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915124    |
| KOMATSU    | D250     |                | RECESSED | 2.165            | 12.323 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 35                | 915054    |
| KOMATSU    | D275A-2  |                | SALT     | 2.240            | 12.610 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-1    | 35                | 915063    |
| KOMATSU    | D275A-5  |                | SALT     | 2.185            | 11.400 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 32                | 915063    |
| KOMATSU    | D275AX   | Dual Bushing   | SALT     | 2.070            | 11.430 | 10.250 | B3815             | A3541        | 30                | 25501          | 50-008-002       | 50-007-001  | 32                | 915093    |
| KOMATSU    | D275AX-5 |                | SALT     | 2.240            | 11.360 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-1    | 32                | 915063    |
| KOMATSU    | D30-15   |                | SEALED   | 1.102            | 6.594  | 6.063  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915057    |
| KOMATSU    | D30A     |                | SEALED   | 1.102            | 6.594  | 6.063  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915057    |
| KOMATSU    | D30S-1   |                | SEALED   | 1.094            | 6.590  | 6.060  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915058    |
| KOMATSU    | D30S-15  | S/N 5016 & UP  | SEALED   | 1.102            | 6.594  | 6.063  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915057    |
| KOMATSU    | D31      |                | UNSEALED | 1.180            | 6.690  | 6.060  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915069    |
| KOMATSU    | D31-15   |                | SEALED   | 1.102            | 6.594  | 6.063  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915057    |
| KOMATSU    | D31-16   |                | SALT     | 1.102            | 6.693  | 6.063  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915058    |
| KOMATSU    | D31-16   |                | SEALED   | 1.102            | 6.693  | 6.063  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915058    |
| KOMATSU    | D31E     |                | SALT     | 1.102            | 6.693  | 6.063  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915058    |
| KOMATSU    | D31E-12  |                | SEALED   | 1.102            | 6.594  | 6.063  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915057    |
| KOMATSU    | D31P     |                | SALT     | 1.102            | 6.693  | 6.063  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915058    |
| KOMATSU    | D31P     |                | UNSEALED | 1.180            | 6.690  | 6.060  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915069    |
| KOMATSU    | D31P-20  |                | SALT     | 1.102            | 6.693  | 6.063  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915058    |
| KOMATSU    | D31PL    |                | SALT     | 1.102            | 6.693  | 6.063  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915058    |
| KOMATSU    | D31PLL   | S/N 29001 & UP | SALT     | 1.102            | 6.693  | 6.063  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915058    |
| KOMATSU    | D31PX    |                | SALT     | 1.102            | 6.693  | 6.063  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915058    |
| KOMATSU    | D31S     |                | SALT     | 1.102            | 6.693  | 6.063  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915058    |
| KOMATSU    | D355     |                | SALT     | 2.185            | 12.736 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 35                | 915091    |
| KOMATSU    | D355     |                | FLUSH    | 2.244            | 12.579 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-1    | 35                | 915053    |
| KOMATSU    | D355A-1  | S/N 1010-1631  | SEALED   | 2.244            | 12.578 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-1    | 35                | 915088    |
| KOMATSU    | D355A-3  | S/N 4234 & UP  | SALT     | 2.185            | 12.736 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 35                | 915091    |
| KOMATSU    | D355A-3  | S/N 1632-4233  | SEALED   | 2.185            | 12.736 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 35                | 915091    |
| KOMATSU    | D355A-5  | S/N 4234 & UP  | SALT     | 2.185            | 12.736 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 35                | 915091    |
| KOMATSU    | D37      |                | SALT     | 1.102            | 6.693  | 6.063  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915058    |
| KOMATSU    | D375     |                | SALT     | 2.240            | 12.610 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-1    | 35                | 915063    |
| KOMATSU    | D375A-1  |                | SALT     | 2.240            | 12.610 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-1    | 35                | 915063    |
| KOMATSU    | D375A-2  |                | SALT     | 2.360            | 12.770 | 11.040 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915131    |
| KOMATSU    | D375A-3  |                | SALT     | 2.360            | 12.770 | 11.040 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915131    |
| KOMATSU    | D375A-5  |                | SALT     | 2.362            | 12.770 | 11.040 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915165    |
| KOMATSU    | D375A-6  |                | SALT     | 2.362            | 12.634 | 11.040 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915276    |
| KOMATSU    | D37P     |                | SALT     | 1.102            | 6.693  | 6.063  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-006  | 27                | 915058    |
| KOMATSU    | D39E     |                | SALT     | 1.307            | 7.244  | 6.750  | A3537             | A3539        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915052    |
| KOMATSU    | D39EX    |                | SALT     | 1.307            | 7.244  | 6.750  | A3537             | A3539        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915052    |
| KOMATSU    | D39P     |                | SALT     | 1.307            | 7.244  | 6.750  | A3537             | A3539        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915052    |
| KOMATSU    | D39PX    |                | SALT     | 1.307            | 7.244  | 6.750  | A3537             | A3539        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915052    |
| KOMATSU    | D40      |                | SALT     | 1.377            | 7.130  | 6.890  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915060    |
| KOMATSU    | D40      |                | SEALED   | 1.382            | 7.170  | 6.890  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915060    |
| KOMATSU    | D40      |                | RECESSED | 1.488            | 8.583  | 6.890  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915059    |

Note: Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |                  |                 |          | Track Dimensions |        |       | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|------------------|-----------------|----------|------------------|--------|-------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model            | Comments        | Type     | Dia.             | Length | Pitch | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| KOMATSU    | D40P-1           | BERCO           | SEALED   | 1.496            | 8.661  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915059    |
| KOMATSU    | D41              | NEW             | SALT     | 1.382            | 7.170  | 6.890 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915122    |
| KOMATSU    | D41              |                 | SEALED   | 1.382            | 7.170  | 6.890 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915060    |
| KOMATSU    | D41              |                 | UNSEALED | 1.499            | 8.660  | 6.890 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915122    |
| KOMATSU    | D41-6            |                 | SALT     | 1.307            | 7.244  | 6.750 | A3537             | A3539        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915052    |
| KOMATSU    | D41A             | BERCO           | SEALED   | 1.496            | 8.661  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915059    |
| KOMATSU    | D41E             | S/N 50201 & UP  | SALT     | 1.307            | 7.224  | 6.750 | A3537             | A3539        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915067    |
| KOMATSU    | D41E             |                 | SALT     | 1.307            | 7.244  | 6.750 | A3537             | A3539        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915052    |
| KOMATSU    | D41P             |                 | SALT     | 1.307            | 7.244  | 6.750 | A3537             | A3539        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915052    |
| KOMATSU    | D41P             | BERCO           | SEALED   | 1.496            | 8.661  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915059    |
| KOMATSU    | D41P-6           | S/N 50201 & UP  | SALT     | 1.307            | 7.224  | 6.750 | A3537             | A3539        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915067    |
| KOMATSU    | D41PX-12         |                 | SALT     | 1.432            | 7.845  | 6.875 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915163    |
| KOMATSU    | D41Q-3           | BERCO           | SEALED   | 1.496            | 8.661  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915059    |
| KOMATSU    | D41S             | BERCO           | SEALED   | 1.496            | 8.661  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915059    |
| KOMATSU    | D45              |                 | RECESSED | 1.488            | 8.583  | 6.890 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915059    |
| KOMATSU    | D45A             |                 | SEALED   | 1.382            | 7.170  | 6.890 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915059    |
| KOMATSU    | D45A             | S/N 12178+ BRCO | SEALED   | 1.496            | 8.661  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915059    |
| KOMATSU    | D45B             | S/N 12178+ BRCO | SEALED   | 1.496            | 8.661  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915059    |
| KOMATSU    | D45P-1           | S/N 1501 & UP   | SEALED   | 1.382            | 7.170  | 6.890 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915059    |
| KOMATSU    | D50              |                 | SALT     | 1.377            | 7.130  | 6.890 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915060    |
| KOMATSU    | D50              |                 | SEALED   | 1.382            | 7.170  | 6.890 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915060    |
| KOMATSU    | D50              |                 | RECESSED | 1.488            | 8.583  | 6.890 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915059    |
| KOMATSU    | D50-11           |                 | RECESSED | 1.488            | 8.583  | 6.890 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915059    |
| KOMATSU    | D50-15           |                 | SEALED   | 1.382            | 7.170  | 6.890 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915059    |
| KOMATSU    | D50-15           |                 | RECESSED | 1.488            | 8.583  | 6.890 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915059    |
| KOMATSU    | D50A             | BERCO           | SEALED   | 1.496            | 8.661  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915059    |
| KOMATSU    | D50B             | S/N 10901+ BRCO | SEALED   | 1.496            | 8.661  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915059    |
| KOMATSU    | D50P             | S/N 10901+ BRCO | SEALED   | 1.496            | 8.661  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915059    |
| KOMATSU    | D50S             | S/N 10901+ BRCO | SEALED   | 1.496            | 8.661  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915059    |
| KOMATSU    | D50S-11          |                 | RECESSED | 1.488            | 8.583  | 6.890 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915059    |
| KOMATSU    | D51EX-22 / PX-22 |                 | SALT     | 1.425            | 8.661  | 6.901 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915192    |
| KOMATSU    | D53              | NEW             | SALT     | 1.382            | 7.170  | 6.890 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915122    |
| KOMATSU    | D53              |                 | UNSEALED | 1.499            | 8.660  | 6.890 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915122    |
| KOMATSU    | D53              |                 | SALT     | 1.377            | 7.130  | 6.890 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915060    |
| KOMATSU    | D53-15           |                 | SEALED   | 1.382            | 7.170  | 6.890 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915059    |
| KOMATSU    | D53-16           |                 | SEALED   | 1.382            | 7.170  | 6.890 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915060    |
| KOMATSU    | D53A             | BERCO           | SEALED   | 1.496            | 8.661  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915059    |
| KOMATSU    | D53A-15          | S/N 60001 & UP  | SEALED   | 1.382            | 7.170  | 6.890 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915059    |
| KOMATSU    | D55              |                 | SEALED   | 1.496            | 8.661  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915060    |
| KOMATSU    | D55-S            |                 | RECESSED | 1.488            | 8.583  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915056    |
| KOMATSU    | D57-1            |                 | SEALED   | 1.496            | 8.661  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915060    |
| KOMATSU    | D57-1            |                 | UNSEALED | 1.500            | 8.660  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915233    |
| KOMATSU    | D57S-1           |                 | SEALED   | 1.496            | 8.661  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915060    |
| KOMATSU    | D58              |                 | SALT     | 1.377            | 7.130  | 6.890 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915060    |
| KOMATSU    | D58              |                 | SEALED   | 1.382            | 7.170  | 6.890 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915060    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |          |                 |          | Track Dimensions |        |       | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|----------|-----------------|----------|------------------|--------|-------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model    | Comments        | Type     | Dia.             | Length | Pitch | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| KOMATSU    | D58E     | BERCO           | SEALED   | 1.496            | 8.661  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915059    |
| KOMATSU    | D58P-1   | BERCO           | SEALED   | 1.496            | 8.661  | 6.906 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915059    |
| KOMATSU    | D6       | S/N 50001-50200 | SALT     | 1.307            | 7.244  | 6.750 | A3537             | A3539        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915052    |
| KOMATSU    | D60      |                 | SALT     | 1.750            | 9.433  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915084    |
| KOMATSU    | D60      |                 | SEALED   | 1.760            | 9.433  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915084    |
| KOMATSU    | D60-6    |                 | SEALED   | 1.752            | 9.260  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915062    |
| KOMATSU    | D60A     | BERCO NON-OEM   | SEALED   | 1.756            | 9.449  | 7.984 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915116    |
| KOMATSU    | D60-A    |                 | RECESSED | 1.488            | 8.583  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915056    |
| KOMATSU    | D61      |                 | SALT     | 1.496            | 8.897  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915060    |
| KOMATSU    | D61E     |                 | SALT     | 1.496            | 8.897  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915060    |
| KOMATSU    | D61EX    |                 | SALT     | 1.496            | 8.897  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915060    |
| KOMATSU    | D61P     |                 | SALT     | 1.496            | 8.897  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915060    |
| KOMATSU    | D61PX    |                 | SALT     | 1.496            | 8.897  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915060    |
| KOMATSU    | D61PX-12 |                 | SALT     | 1.496            | 8.897  | 7.480 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915060    |
| KOMATSU    | D63E     |                 | SALT     | 1.377            | 7.130  | 6.890 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915060    |
| KOMATSU    | D63E     |                 | SEALED   | 1.382            | 7.170  | 6.890 | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915060    |
| KOMATSU    | D65      |                 | SEALED   | 1.490            | 8.660  | 7.490 | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915060    |
| KOMATSU    | D65      |                 | SALT     | 1.750            | 9.433  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915084    |
| KOMATSU    | D65      |                 | SEALED   | 1.760            | 9.433  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915084    |
| KOMATSU    | D65-6    | S/N 34001 & UP  | SALT     | 1.756            | 9.528  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915097    |
| KOMATSU    | D65A     | BERCO NON-OEM   | SEALED   | 1.756            | 9.449  | 7.984 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915116    |
| KOMATSU    | D65A     |                 | SEALED   | 1.760            | 9.433  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915084    |
| KOMATSU    | D65E     |                 | SEALED   | 1.760            | 9.433  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915084    |
| KOMATSU    | D65EX-12 |                 | SALT     | 1.750            | 9.433  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915084    |
| KOMATSU    | D65EX-15 |                 | SALT     | 1.750            | 9.433  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915084    |
| KOMATSU    | D65P-6   | S/N 20006 & UP  | SEALED   | 1.760            | 9.433  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915084    |
| KOMATSU    | D65PX    |                 | SALT     | 1.750            | 9.433  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915084    |
| KOMATSU    | D65PX-12 |                 | SALT     | 1.750            | 9.433  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915084    |
| KOMATSU    | D65PX-15 |                 | SALT     | 1.750            | 9.433  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915084    |
| KOMATSU    | D66      |                 | SALT     | 1.756            | 9.528  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915097    |
| KOMATSU    | D66      |                 | SEALED   | 1.760            | 9.433  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915084    |
| KOMATSU    | D68      |                 | SALT     | 1.756            | 9.528  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915097    |
| KOMATSU    | D68      |                 | SEALED   | 1.760            | 9.433  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915084    |
| KOMATSU    | D75      |                 | SEALED   | 1.843            | 10.000 | 8.504 | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | D75      |                 | SALT     | 1.850            | 10.000 | 8.504 | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | D75-S    |                 | SEALED   | 1.850            | 9.842  | 8.504 | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915015    |
| KOMATSU    | D80      |                 | SEALED   | 1.843            | 10.000 | 8.504 | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | D80      |                 | SALT     | 1.850            | 10.000 | 8.504 | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | D80-7    |                 | SEALED   | 1.752            | 9.842  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915013    |
| KOMATSU    | D80-8    |                 | SEALED   | 1.752            | 9.842  | 8.000 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915013    |
| KOMATSU    | D85      |                 | SEALED   | 1.771            | 9.842  | 8.504 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915085    |
| KOMATSU    | D85      |                 | SALT     | 1.850            | 10.000 | 8.504 | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | D85-18   | S/N 26513 & DN  | SEALED   | 1.850            | 10.000 | 8.500 | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915232    |
| KOMATSU    | D85-18   | S/N 26514 & UP  | SALT     | 1.850            | 10.000 | 8.504 | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | D85A     |                 | SEALED   | 1.771            | 9.842  | 8.504 | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915085    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |            |                 |          | Track Dimensions |        |        | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|------------|-----------------|----------|------------------|--------|--------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model      | Comments        | Type     | Dia.             | Length | Pitch  | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| KOMATSU    | D85A       |                 | SEALED   | 1.843            | 10.000 | 8.504  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | D85A-12    |                 | SEALED   | 1.850            | 9.842  | 8.504  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915015    |
| KOMATSU    | D85E       |                 | SEALED   | 1.843            | 10.000 | 8.504  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | D85E-12    | S/N 10001 & UP  | SEALED   | 1.771            | 9.842  | 8.504  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915085    |
| KOMATSU    | D85E-12    |                 | SEALED   | 1.771            | 9.842  | 8.504  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915085    |
| KOMATSU    | D85EX-15   |                 | SALT     | 1.850            | 10.000 | 8.504  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | D85P-18    |                 | SEALED   | 1.843            | 10.000 | 8.504  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | D85PX      |                 | SALT     | 1.850            | 10.000 | 8.504  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | D85PX-15   |                 | SALT     | 1.850            | 10.000 | 8.504  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | D95        |                 | SALT     | 1.850            | 10.000 | 8.504  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | D95        |                 | SEALED   | 1.843            | 10.000 | 8.504  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | D95-S      |                 | SEALED   | 1.772            | 10.000 | 8.500  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915232    |
| KOMATSU    | PC100      |                 | UNSEALED | 1.180            | 6.690  | 6.060  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915069    |
| KOMATSU    | PC100      |                 | SEALED   | 1.180            | 6.810  | 6.890  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915161    |
| KOMATSU    | PC100      | PITCH ALSO 6.89 | SEALED   | 1.181            | 6.811  | 6.063  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915126    |
| KOMATSU    | PC1000     |                 | SEALED   | 2.244            | 12.614 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-1    | 35                | 915063    |
| KOMATSU    | PC1000-1   |                 | SALT     | 2.240            | 12.610 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-1    | 35                | 915063    |
| KOMATSU    | PC1000SE-1 |                 | SALT     | 2.240            | 12.610 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-1    | 35                | 915063    |
| KOMATSU    | PC100-1    |                 | SEALED   | 1.181            | 6.535  | 6.062  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915110    |
| KOMATSU    | PC100-2    |                 | SEALED   | 1.181            | 6.535  | 6.062  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915110    |
| KOMATSU    | PC100-3    |                 | SEALED   | 1.181            | 6.535  | 6.062  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915110    |
| KOMATSU    | PC100-6    |                 | SEALED   | 1.180            | 6.810  | 6.890  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915161    |
| KOMATSU    | PC100L-6   |                 | SEALED   | 1.490            | 8.660  | 7.490  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915060    |
| KOMATSU    | PC1100-6   |                 | UNSEALED | 2.360            | 12.770 | 11.030 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915131    |
| KOMATSU    | PC1100LC-6 |                 | UNSEALED | 2.360            | 12.770 | 11.030 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915131    |
| KOMATSU    | PC1100SP-6 |                 | UNSEALED | 2.360            | 12.770 | 11.030 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915131    |
| KOMATSU    | PC120      |                 | SEALED   | 1.180            | 6.810  | 6.890  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915161    |
| KOMATSU    | PC120      | PITCH ALSO 6.89 | SEALED   | 1.181            | 6.811  | 6.063  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915126    |
| KOMATSU    | PC120-1    |                 | SEALED   | 1.181            | 6.535  | 6.062  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915110    |
| KOMATSU    | PC120-2    |                 | SEALED   | 1.181            | 6.535  | 6.062  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915110    |
| KOMATSU    | PC120-3    |                 | SEALED   | 1.181            | 6.535  | 6.062  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915110    |
| KOMATSU    | PC120-6    |                 | SEALED   | 1.181            | 6.811  | 6.890  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915126    |
| KOMATSU    | PC120-6    |                 | SEALED   | 1.181            | 6.811  | 6.900  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915231    |
| KOMATSU    | PC120LC-6  |                 | SEALED   | 1.180            | 6.810  | 6.890  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915161    |
| KOMATSU    | PC1250     |                 | UNSEALED | 2.360            | 12.770 | 11.030 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915131    |
| KOMATSU    | PC1250-7   |                 | UNSEALED | 2.360            | 12.770 | 11.030 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915131    |
| KOMATSU    | PC1250LC-7 |                 | UNSEALED | 2.360            | 12.770 | 11.030 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915131    |
| KOMATSU    | PC1250LC-8 |                 | UNSEALED | 2.360            | 12.770 | 11.030 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915131    |
| KOMATSU    | PC1250SP-7 |                 | UNSEALED | 2.360            | 12.770 | 11.030 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915131    |
| KOMATSU    | PC130-6    |                 | SEALED   | 1.180            | 6.810  | 6.890  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915161    |
| KOMATSU    | PC138      |                 | SEALED   | 1.180            | 6.810  | 6.890  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915161    |
| KOMATSU    | PC150      |                 | UNSEALED | 1.499            | 8.660  | 6.890  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915122    |
| KOMATSU    | PC160LC-8  |                 | SEALED   | 1.496            | 8.346  | 7.490  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915108    |
| KOMATSU    | PC200      |                 | SEALED   | 1.496            | 8.661  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915060    |
| KOMATSU    | PC200-6    |                 | SEALED   | 1.496            | 8.661  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915060    |

Note: Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |             |          |        | Track Dimensions |        |        | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|-------------|----------|--------|------------------|--------|--------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model       | Comments | Type   | Dia.             | Length | Pitch  | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| KOMATSU    | PC200-7     |          | SEALED | 1.496            | 8.661  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915060    |
| KOMATSU    | PC200-8     |          | SEALED | 1.496            | 8.661  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915060    |
| KOMATSU    | PC200-8MO   |          | SEALED | 1.496            | 8.346  | 7.490  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915277    |
| KOMATSU    | PC200LC-8   |          | SEALED | 1.496            | 8.346  | 7.490  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915108    |
| KOMATSU    | PC210LC-11  |          | SEALED | 1.503            | 8.346  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915193    |
| KOMATSU    | PC220       |          | SEALED | 1.496            | 8.661  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915060    |
| KOMATSU    | PC240LC-10  |          | SEALED | 1.496            | 8.346  | 7.490  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915108    |
| KOMATSU    | PC240LC-6   |          | SEALED | 1.496            | 8.661  | 7.480  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915060    |
| KOMATSU    | PC240LC-8   |          | SEALED | 1.496            | 8.346  | 7.490  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915108    |
| KOMATSU    | PC250LC-6   |          | SEALED | 1.750            | 9.520  | 8.500  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915159    |
| KOMATSU    | PC270LC-6   |          | SEALED | 1.750            | 9.520  | 8.500  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915159    |
| KOMATSU    | PC270LC-7   |          | SEALED | 1.750            | 9.520  | 8.500  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915159    |
| KOMATSU    | PC270LC-8   |          | SEALED | 1.756            | 9.528  | 8.516  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915097    |
| KOMATSU    | PC290LC-10  |          | SEALED | 1.756            | 9.528  | 8.516  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915097    |
| KOMATSU    | PC300       | EXC      | SALT   | 1.750            | 9.530  | 8.000  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915097    |
| KOMATSU    | PC300       | EXC      | SEALED | 1.760            | 9.530  | 8.000  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915076    |
| KOMATSU    | PC300-5     |          | SEALED | 1.748            | 9.527  | 8.000  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915248    |
| KOMATSU    | PC300HD-6   |          | SEALED | 1.850            | 9.920  | 9.000  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915160    |
| KOMATSU    | PC300HD-8   |          | SEALED | 1.850            | 9.921  | 9.012  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915092    |
| KOMATSU    | PC300LC-6   |          | SEALED | 1.750            | 9.520  | 8.500  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915159    |
| KOMATSU    | PC300LC-7   |          | SEALED | 1.750            | 9.520  | 8.500  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915159    |
| KOMATSU    | PC300LC-8   |          | SEALED | 1.756            | 9.528  | 8.516  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915097    |
| KOMATSU    | PC350HD-8   |          | SEALED | 1.850            | 9.921  | 9.012  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915092    |
| KOMATSU    | PC350LC-8   |          | SEALED | 1.756            | 9.528  | 8.516  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915097    |
| KOMATSU    | PC360LC-10  |          | SEALED | 1.761            | 9.528  | 8.504  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915097    |
| KOMATSU    | PC390LC-10  |          | SEALED | 1.850            | 9.921  | 9.012  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915092    |
| KOMATSU    | PC-400 EX   |          | SEALED | 1.850            | 10.000 | 8.504  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915232    |
| KOMATSU    | PC400-3     |          | SEALED | 1.843            | 10.000 | 8.504  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | PC400-5     |          | SEALED | 1.843            | 10.000 | 8.504  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | PC400-6     |          | SEALED | 1.850            | 10.000 | 9.000  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | PC400-6     |          | SEALED | 1.843            | 10.000 | 8.504  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | PC400LC-7   |          | SEALED | 1.850            | 10.000 | 9.000  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | PC400LC-8   |          | SEALED | 1.850            | 9.921  | 9.012  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915092    |
| KOMATSU    | PC400LCSE-7 |          | SEALED | 1.850            | 10.000 | 9.000  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | PC450       |          | SEALED | 1.850            | 10.000 | 9.000  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915096    |
| KOMATSU    | PC450LC-8   |          | SEALED | 1.850            | 9.210  | 9.012  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 27                | 915092    |
| KOMATSU    | PC490LC-10  |          | SEALED | 1.926            | 10.157 | 9.012  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915167    |
| KOMATSU    | PC60        | EXC      | SEALED | 0.945            | 5.550  | 5.310  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915123    |
| KOMATSU    | PC600       |          | SEALED | 2.185            | 12.614 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 35                | 915125    |
| KOMATSU    | PC600       | EXC      | SEALED | 1.850            | 10.000 | 8.504  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915232    |
| KOMATSU    | PC600-6     |          | SEALED | 1.920            | 11.410 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915177    |
| KOMATSU    | PC600-7     |          | SEALED | 1.920            | 11.410 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915177    |
| KOMATSU    | PC600-8     |          | SEALED | 1.953            | 11.417 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915177    |
| KOMATSU    | PC600LC-6   |          | SEALED | 1.920            | 11.410 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915177    |
| KOMATSU    | PC600LC-7   |          | SEALED | 1.920            | 11.410 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915177    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE  |           |                 |          | Track Dimensions |        |        | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|-------------|-----------|-----------------|----------|------------------|--------|--------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make        | Model     | Comments        | Type     | Dia.             | Length | Pitch  | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| KOMATSU     | PC650-5   |                 | SEALED   | 2.185            | 12.614 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 35                | 915125    |
| KOMATSU     | PC700     |                 | SEALED   | 2.185            | 12.614 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 35                | 915125    |
| KOMATSU     | PC710     |                 | SEALED   | 2.185            | 12.614 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 35                | 915125    |
| KOMATSU     | PC75      | Berco KM3041A   | SEALED   | 0.945            | 5.157  | 6.063  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915180    |
| KOMATSU     | PC750     |                 | UNSEALED | 2.200            | 12.610 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 35                | 915125    |
| KOMATSU     | PC750SE-6 |                 | SEALED   | 2.185            | 12.614 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 35                | 915125    |
| KOMATSU     | PC80      | PITCH ALSO 6.89 | SEALED   | 1.181            | 6.811  | 6.063  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915126    |
| KOMATSU     | PC800     |                 | SEALED   | 2.185            | 12.614 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 35                | 915125    |
| KOMATSU     | PC80-1    |                 | SEALED   | 1.181            | 6.535  | 6.062  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915110    |
| KOMATSU     | PC80-3    |                 | SEALED   | 1.181            | 6.535  | 6.062  | A3536             | A3539        | 27                | 25498          | 50-008-002       | 50-007-006  | 27                | 915110    |
| KOMATSU     | PC850-8R1 |                 | SEALED   | 2.177            | 12.614 | 10.250 | B3607/8           | A3541        | 35                | 25501          | 50-008-002       | 50-007-001  | 35                | 915125    |
| KUBOTA      | KH170L    | EXC             | UNSEALED | 0.994            | 5.510  | 5.310  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915040    |
| LIEBHERR    | 631       | MAY WORK        | SALT     | 1.752            | 9.060  | 6.735  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915003    |
| LIEBHERR    | PR711     |                 | SALT     | 1.315            | 7.220  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915052    |
| LIEBHERR    | PR721     |                 | SALT     | 1.442            | 8.120  | 6.735  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915052    |
| LIEBHERR    | PR731     |                 | SALT     | 1.752            | 9.060  | 7.985  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915003    |
| LIEBHERR    | R912      |                 | SEALED   | 1.314            | 7.000  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915002    |
| LIEBHERR    | R922      |                 | SEALED   | 1.314            | 7.000  | 6.735  | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915002    |
| LIEBHERR    | R932      |                 | SEALED   | 1.442            | 8.130  | 6.735  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915009    |
| LINKBELT    | LS2800    |                 | SEALED   | 1.442            | 8.130  | 6.735  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915009    |
| LINKBELT    | LS4800    |                 | SEALED   | 1.878            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915012    |
| LINKBELT    | LS5400    |                 | SEALED   | 1.878            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915012    |
| LINKBELT    | LS5800    |                 | SEALED   | 1.878            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915012    |
| LINKBELT    | LS6400    |                 | SEALED   | 2.003            | 11.440 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915001    |
| LINKBELT    | LS7400    |                 | SEALED   | 2.003            | 11.440 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915001    |
| LINKBELT    | LS7800    |                 | SEALED   | 1.442            | 8.130  | 6.735  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915009    |
| LINKBELT    | LS9800    |                 | SEALED   | 1.752            | 9.880  | 7.985  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 30                | 915012    |
| MASY.-FERG. | MF200B    |                 | SEALED   | 1.063            | 5.750  | 5.512  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915004    |
| MASY.-FERG. | MF2244    |                 | RECESSED | 0.984            | 5.420  | 5.512  | A3536             | A3539        | 27                | 200281         | 50-008-002       | 50-007-007  | 27                | 915057    |
| MASY.-FERG. | MF300     |                 | RECESSED | 1.299            | 6.610  | 6.299  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915002    |
| MASY.-FERG. | MF300     |                 | SEALED   | 1.299            | 6.610  | 6.299  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915078    |
| MASY.-FERG. | MF400C    |                 | SEALED   | 1.380            | 7.010  | 6.690  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915078    |
| MASY.-FERG. | MF450     |                 | RECESSED | 1.299            | 6.610  | 6.299  | A3537             | A3539        | 27                | 25498          | 50-008-002       | 50-007-005  | 27                | 915002    |
| MASY.-FERG. | MF500     |                 | RECESSED | 1.378            | 7.170  | 6.690  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915080    |
| MASY.-FERG. | MF500B    |                 | SEALED   | 1.441            | 8.110  | 6.750  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915079    |
| MASY.-FERG. | MF600C    |                 | SEALED   | 1.752            | 8.660  | 7.980  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915081    |
| MASY.-FERG. | MFD400C   |                 | SEALED   | 1.380            | 7.010  | 6.690  | B3635             | A3540        | 27                | 25499          | 50-008-002       | 50-007-004  | 27                | 915078    |
| MASY.-FERG. | MFD700C   |                 | SEALED   | 1.880            | 9.880  | 8.500  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915062    |
| MTECK       | 825E      | DRAGLINE        | UNSEALED | 2.381            | 12.181 | 11.023 | B3607/8           | A3541        | 32                | 25553          | 50-020           | 50-021-2    | 35                | 915353    |
| TEREX       | 82-20AA,  |                 | RECESSED | 1.750            | 9.190  | 8.000  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915075    |
| TEREX       | 82-30     |                 | RECESSED | 1.750            | 9.190  | 8.000  | B3635             | A3540        | 27                | 25548          | 50-008-002       | 50-007-002  | 27                | 915075    |
| TEREX       | 82-30AA   |                 | RECESSED | 1.750            | 11.520 | 8.000  | B3635             | A3540        | 30                | 25548          | 50-008-002       | 50-007-002  | 32                | 915021    |
| TEREX       | 82-30B    |                 | RECESSED | 2.000            | 11.520 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915077    |
| TEREX       | 82-30FA   |                 | RECESSED | 1.750            | 11.520 | 8.000  | B3635             | A3540        | 30                | 25548          | 50-008-002       | 50-007-002  | 32                | 915021    |
| TEREX       | 82-40AA   |                 | RECESSED | 1.750            | 11.520 | 8.000  | B3635             | A3540        | 30                | 25548          | 50-008-002       | 50-007-002  | 32                | 915021    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)



WTC Machinery Corporation  
MPP150 Tooling Chart

10/22/2025

| TRACK TYPE |           |          |          | Track Dimensions |        |        | Disassembly Tools |              |                   | Assembly Tools |                  |             |                   |           |
|------------|-----------|----------|----------|------------------|--------|--------|-------------------|--------------|-------------------|----------------|------------------|-------------|-------------------|-----------|
| Make       | Model     | Comments | Type     | Dia.             | Length | Pitch  | Pin Tool          | Back Bushing | Rod Spacer Length | Forcing Pin    | Track Pin Holder | Pin Adapter | Rod Spacer Length | PAT (x 2) |
| TEREX      | 82-40CA   |          | RECESSED | 1.750            | 11.520 | 8.000  | B3635             | A3540        | 30                | 25548          | 50-008-002       | 50-007-002  | 32                | 915021    |
| TEREX      | 82-40DA   |          | RECESSED | 2.000            | 11.520 | 9.000  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-001  | 32                | 915077    |
| TEREX      | 82-50     |          | RECESSED | 2.380            | 12.380 | 10.312 | B3607/8           | A3541        | 35                | 25553          | 50-020           | 50-021-2    | 35                | 915063    |
| TEREX      | 82-80DA   |          | RECESSED | 2.000            | 12.380 | 9.000  | B3815             | A3541        | 32                | 25551          | 50-008-002       | 50-007-001  | 35                | 915076    |
| TEREX      | TC-12     |          | RECESSED | 2.000            | 12.380 | 9.000  | B3815             | A3541        | 32                | 25551          | 50-008-002       | 50-007-001  | 35                | 915076    |
| TIGER CAT  | L870C     |          |          | 1.850            | 10.039 | 8.504  | B3635             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915189    |
| VOLVO      | EC140BLCM |          | SEALED   | 1.457            | 8.366  | 7.512  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915106    |
| VOLVO      | EC150LC   |          | SEALED   | 1.496            | 8.188  | 7.500  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-010  | 27                | 915234    |
| VOLVO      | EC210BP   |          | SEALED   | 1.457            | 8.693  | 7.512  | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915189    |
| VOLVO      | EC330BLC  |          | SEALED   | 1.854            | 10.016 | 8.500  | B3635             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915092    |
| VOLVO      | EC460BLC  |          | SEALED   | 1.878            | 11.417 | 8.540  | B3815             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 32                | 915260    |
| VOLVO      | EC480DL   |          | SEALED   | 1.850            | 10.630 | 8.540  | B3635             | A3541        | 30                | 25551          | 50-008-002       | 50-007-002  | 30                | 915260    |
| VOLVO      | EC700CL   |          | SEALED   | 2.228            | 12.598 | 10.240 | B3607/8           | A3541        | 35                | 25501          | 50-020           | 50-021-1    | 35                | 915261    |
| VOLVO      | ECR305C   |          | SEALED   | 1.811            | 9.990  | 8.500  | B3635             | A3541        | 27                | 25551          | 50-008-002       | 50-007-002  | 30                | 915311    |
| WIRTGEN    | 2100      |          | RECESSED | 1.327            | 7.250  |        | A3537             | A3540        | 27                | 25499          | 50-008-002       | 50-007-005  | 27                | 915272    |
| WIRTGEN    | 2100      |          | FLUSH    | 1.453            | 8.280  |        | B3635             | A3540        | 27                | 25500          | 50-008-002       | 50-007-004  | 27                | 915272    |

Note:Connecting Rod Spacers can be Cut in three Sections (27", 3" and 5") to Get Combined Tube Lengths of 27", 30" (27 + 3), 32" (27 + 5) and 35" (27 + 3 + 5)